

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050124\
 Data File : VW028555.D
 Acq On : 01 May 2024 10:37
 Operator : SY/MD
 Sample : P2321-01
 Misc : 6.25g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E0Y32

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/02/2024
 Supervised By :Mahesh Dadoda 05/08/2024

Quant Time: May 02 02:20:04 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 02 02:18:04 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	376570	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	325932	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	120615	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	125078	20.718	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	82.880%		
7) Chloroethane-d5	2.899	69	109787	23.994	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	95.960%		
11) 1,1-Dichloroethene-d2	4.015	65	55321	21.639	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	86.560%		
21) 2-Butanone-d5	7.081	46	69186	61.244	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	122.480%		
24) Chloroform-d	7.648	84	248998	25.340	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	101.360%		
26) 1,2-Dichloroethane-d4	8.307	65	146882m	28.763	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	115.040%		
32) Benzene-d6	8.270	84	478557	26.877	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	107.520%		
36) 1,2-Dichloropropane-d6	9.270	67	149148	28.181	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	112.720%		
41) Toluene-d8	10.318	98	394232	24.349	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	97.400%		
43) trans-1,3-Dichloroprop...	10.575	79	53446	25.397	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	101.600%		
47) 2-Hexanone-d5	10.922	63	45536	62.113	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	124.220%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	106058	28.402	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	113.600%		
66) 1,2-Dichlorobenzene-d4	13.848	152	86731	22.737	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	90.960%		
Target Compounds					Qvalue	
13) Acetone	4.137	43	52916	38.149	ug/L	78
22) 2-Butanone	7.179	43	17562	10.433	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050124\
Data File : VW028555.D
Acq On : 01 May 2024 10:37
Operator : SY/MD
Sample : P2321-01
Misc : 6.25g/10mL/MSVOA_W/SOIL/B
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E0Y32

Quant Time: May 02 02:20:04 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
Quant Title : SFAM01.0
QLast Update : Thu May 02 02:18:04 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/02/2024
Supervised By :Mahesh Dadoda 05/08/2024

