

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050222\
 Data File : VW022743.D
 Acq On : 02 May 2022 16:40
 Operator : SY/VA
 Sample : N2639-01
 Misc : 4.45g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXKZ6

Manual Integrations
 APPROVED

Reviewed By : Semsettin Yesilyurt 05/03/2022
 Supervised By : Mahesh Dadoda 05/04/2022

Quant Time: May 03 01:44:07 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue May 03 01:41:22 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	351728	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	320845	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	127499	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	152540	21.138	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	84.560%		
7) Chloroethane-d5	2.891	69	106177	22.616	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	90.480%		
11) 1,1-Dichloroethene-d2	4.019	63	149240	16.006	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	64.040%		
21) 2-Butanone-d5	7.080	46	47338	34.502	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	69.000%		
24) Chloroform-d	7.647	84	216756	21.034	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	84.120%		
26) 1,2-Dichloroethane-d4	8.305	65	125388m	22.186	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	88.760%		
32) Benzene-d6	8.275	84	428923	23.193	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	92.760%		
36) 1,2-Dichloropropane-d6	9.274	67	124155	23.900	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	95.600%		
41) Toluene-d8	10.323	98	398806	22.324	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	89.280%		
43) trans-1,3-Dichloroprop...	10.579	79	45391	18.977	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	75.920%		
47) 2-Hexanone-d5	10.921	63	35245	35.541	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	71.080%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	102117	21.090	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	84.360%		
66) 1,2-Dichlorobenzene-d4	13.853	152	100053	22.449	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	89.800%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050222\
Data File : VW022743.D
Acq On : 02 May 2022 16:40
Operator : SY/VA
Sample : N2639-01
Misc : 4.45g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXKZ6

Quant Time: May 03 01:44:07 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Tue May 03 01:41:22 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 05/03/2022
Supervised By : Mahesh Dadoda 05/04/2022

