

Quantitation Report (Qedit)


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050321\
 Data File : VW018894.D
 Acq On : 03 May 2021 13:21
 Operator : SY/VA
 Sample : M2166-10
 Misc : 5.01G/10ML/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Manual Integrations
 APPROVED

MMDadoda
 5/4/2021 5:36:56 PM

Quant Time: May 04 01:16:20 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM042921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue May 04 01:15:32 2021
 Response via : Initial Calibration



(16) Methylene chloride (T)

4.915min (+ 0.000) 1.25 ug/L

response 11333

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	64.70	62.03
49.00	123.70	111.98
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050321\
 Data File : VW018894.D
 Acq On : 03 May 2021 13:21
 Operator : SY/VA
 Sample : M2166-10
 Misc : 5.01G/10ML/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampled :
 VHBLK001

Manual Integrations
 APPROVED

MMDadoda
 5/4/2021 5:36:56 PM

Quant Time: May 04 01:16:20 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM042921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue May 04 01:15:32 2021
 Response via : Initial Calibration



(16) Methylene chloride (T)

4.915min (+ 0.000) 2.09 ug/L m

response 18888

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	64.70	62.03
49.00	123.70	111.98
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050321\
 Data File : VW018894.D
 Acq On : 03 May 2021 13:21
 Operator : SY/VA
 Sample : M2166-10
 Misc : 5.01G/10ML/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Manual Integrations
 APPROVED

MMDadoda
 5/4/2021 5:36:56 PM

Quant Time: May 04 01:16:20 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM042921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue May 04 01:15:32 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	546514	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	496297	25.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	226670	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	164829	23.51	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	94.04%		
7) Chloroethane-d5	2.891	69	128212	23.60	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	94.40%		
11) 1,1-Dichloroethene-d2	4.019	63	248240	17.83	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	71.32%		
21) 2-Butanone-d5	7.086	46	76794	42.05	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	84.10%		
24) Chloroform-d	7.647	84	346628	24.16	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	96.64%		
26) 1,2-Dichloroethane-d4	8.305	65	193347	24.13	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	96.52%		
32) Benzene-d6	8.275	84	695556	24.80	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	99.20%		
36) 1,2-Dichloropropane-d6	9.274	67	203618	24.48	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	97.92%		
41) Toluene-d8	10.323	98	643003	24.59	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	98.36%		
43) trans-1,3-Dichloroprop...	10.579	79	86278	22.82	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	91.28%		
47) 2-Hexanone-d5	10.926	63	64310	43.18	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	86.36%		
56) 1,1,2,2-Tetrachloroeth...	12.694	84	156979	22.27	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	89.08%		
66) 1,2-Dichlorobenzene-d4	13.853	152	200516	25.82	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	103.28%		
Target Compounds						
16) Methylene chloride	4.915	84	18888m	2.09	ug/L	Qvalue 92
42) Toluene	10.390	91	10091	0.31	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050321\
Data File : VW018894.D
Acq On : 03 May 2021 13:21
Operator : SY/VA
Sample : M2166-10
Misc : 5.01G/10ML/MSVOA_W/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001

Manual Integrations
APPROVED

MMDadoda
5/4/2021 5:36:56 PM

Quant Time: May 04 01:16:20 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM042921SMA.M
Quant Title : SFAM01.0
QLast Update : Tue May 04 01:15:32 2021
Response via : Initial Calibration

