




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050423\
 Data File : VW025853.D
 Acq On : 04 May 2023 18:33
 Operator : SY/MD
 Sample : 02574-20RE
 Misc : 5.99g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCCQ2RE

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/05/2023
 Supervised By :Mahesh Dadoda 05/07/2023

Quant Time: May 04 23:21:08 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 04 23:16:54 2023
 Response via : Initial Calibration



TIC: VW025853.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.417min (+ 0.116) 0.07 ug/L

response 145

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	52.90	54.48
51.00	112.30	78.62
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050423\
 Data File : VW025853.D
 Acq On : 04 May 2023 18:33
 Operator : SY/MD
 Sample : 02574-20RE
 Misc : 5.99g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCCQ2RE

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/05/2023
 Supervised By :Mahesh Dadoda 05/07/2023

Quant Time: May 04 23:21:08 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 04 23:16:54 2023
 Response via : Initial Calibration



TIC: VW025853.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (+ 0.006) 29.44 ug/L m

response 60274

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	52.90	0.13#
51.00	112.30	0.19#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050423\
 Data File : VW025853.D
 Acq On : 04 May 2023 18:33
 Operator : SY/MD
 Sample : 02574-20RE
 Misc : 5.99g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCCQ2RE

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/05/2023
 Supervised By :Mahesh Dadoda 05/07/2023

Quant Time: May 04 23:21:08 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 04 23:16:54 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
-----05/05/2023						
Supervised By :Mahesh Dadoda						
Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	125565	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	127545	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	56629	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.357	65	37180	20.895	ug/L	-0.01
Spiked Amount 25.000	Range 30	- 150	Recovery	=	83.600%	
7) Chloroethane-d5	2.887	69	30641	23.228	ug/L	-0.01
Spiked Amount 25.000	Range 30	- 150	Recovery	=	92.920%	
11) 1,1-Dichloroethene-d2	4.015	65	17775	19.950	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	79.800%	
21) 2-Butanone-d5	7.081	46	39184	66.614	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	133.220%	
24) Chloroform-d	7.648	84	85265	23.549	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	94.200%	
26) 1,2-Dichloroethane-d4	8.307	65	60274m	29.439	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	117.760%	
32) Benzene-d6	8.270	84	157988	18.957	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	75.840%	
36) 1,2-Dichloropropane-d6	9.270	67	59291	22.235	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	88.960%	
41) Toluene-d8	10.325	98	124610	16.768	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	67.080%	
43) trans-1,3-Dichloroprop...	10.581	79	22492	20.809	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	83.240%	
47) 2-Hexanone-d5	10.922	63	22803	50.150	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	100.300%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	61168	30.097	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	120.400%#	
66) 1,2-Dichlorobenzene-d4	13.855	152	50005	24.223	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	96.880%	
Target Compounds						
					Qvalue	
13) Acetone	4.131	43	8929	17.119	ug/L	77
16) Methylene chloride	4.923	84	7463	2.882	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050423\
Data File : VW025853.D
Acq On : 04 May 2023 18:33
Operator : SY/MD
Sample : 02574-20RE
Misc : 5.99g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DCCQ2RE

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/05/2023
Supervised By :Mahesh Dadoda 05/07/2023

Quant Time: May 04 23:21:08 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Thu May 04 23:16:54 2023
Response via : Initial Calibration

