

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051022\
 Data File : VW022945.D
 Acq On : 10 May 2022 10:41
 Operator : SY/VA
 Sample : N2711-09
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Quant Time: May 11 01:20:30 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 11 01:19:10 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	305286	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.627	117	295134	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	150387	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.348	65	114068	18.212	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.840%
7) Chloroethane-d5	2.885	69	83893	20.588	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.360%
11) 1,1-Dichloroethene-d2	4.013	63	119923	14.818	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	59.280%
21) 2-Butanone-d5	7.073	46	58091	48.780	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.560%
24) Chloroform-d	7.646	84	209420	23.414	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.640%
26) 1,2-Dichloroethane-d4	8.055	65	92	0.019	ug/L	-0.25
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.080%#
32) Benzene-d6	8.274	84	392637	23.081	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.320%
36) 1,2-Dichloropropane-d6	9.274	67	116530	24.386	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.560%
41) Toluene-d8	10.323	98	361457	21.996	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.000%
43) trans-1,3-Dichloroprop...	10.579	79	47197	21.451	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.800%
47) 2-Hexanone-d5	10.920	63	45099	49.439	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.880%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	109116	24.499	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	98.000%
66) 1,2-Dichlorobenzene-d4	13.852	152	128877	24.515	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.080%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051022\
Data File : VW022945.D
Acq On : 10 May 2022 10:41
Operator : SY/VA
Sample : N2711-09
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001

Quant Time: May 11 01:20:30 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 11 01:19:10 2022
Response via : Initial Calibration

