




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051123\
 Data File : VW025943.D
 Acq On : 11 May 2023 09:50
 Operator : SY/MD
 Sample : 02689--19RE
 Misc : 4.01g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 JREP1RE

Manual IntegrationsAPPROVED

Quant Time: May 12 05:37:11 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 05 23:47:36 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/12/2023
 Supervised By :Mahesh Dadoda 05/12/2023



TIC: VW025943.D\data.ms

(24) Chloroform-d (S)

7.752min (+ 0.104) 0.02 ug/L

response 435

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	61.70	53.79
47.00	50.20	58.62
49.00	28.70	29.20

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051123\
 Data File : VW025943.D
 Acq On : 11 May 2023 09:50
 Operator : SY/MD
 Sample : 02689--19RE
 Misc : 4.01g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 JREP1RE

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/12/2023
 Supervised By :Mahesh Dadoda 05/12/2023

Quant Time: May 12 05:37:11 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 05 23:47:36 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	717557	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	488988	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	121974	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	247180	24.309	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	97.240%	
7) Chloroethane-d5	2.893	69	169927	22.541	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	90.160%	
11) 1,1-Dichloroethene-d2	4.027	65	116061	22.795	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	91.160%	
21) 2-Butanone-d5	7.075	46	141361	42.053	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	84.100%	
24) Chloroform-d	7.648	84	473666m	22.893	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	91.560%	
26) 1,2-Dichloroethane-d4	8.307	65	272023	23.250	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	93.000%	
32) Benzene-d6	8.276	84	929613	29.095	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	116.360%	
36) 1,2-Dichloropropane-d6	9.276	67	308958	30.222	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	120.880%#	
41) Toluene-d8	10.325	98	697000	24.463	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	97.840%	
43) trans-1,3-Dichloroprop...	10.581	79	102199	24.662	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	98.640%	
47) 2-Hexanone-d5	10.922	63	92821	53.247	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	106.500%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	168881	21.674	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	86.680%	
66) 1,2-Dichlorobenzene-d4	13.848	152	100113	22.515	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	90.080%	
Target Compounds						
13) Acetone	4.124	43	41746	14.006	ug/L	98
16) Methylene chloride	4.923	84	26468	1.789	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051123\
Data File : VW025943.D
Acq On : 11 May 2023 09:50
Operator : SY/MD
Sample : 02689--19RE
Misc : 4.01g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
JREP1RE

Manual IntegrationsAPPROVED

Quant Time: May 12 05:37:11 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 05 23:47:36 2023
Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/12/2023
Supervised By :Mahesh Dadoda 05/12/2023

