

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051123\
 Data File : VW025955.D
 Acq On : 11 May 2023 14:39
 Operator : SY/MD
 Sample : 02612-23
 Misc : 5.03g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Quant Time: May 12 05:38:44 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 05 23:47:36 2023
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By : Semsettin Yesilyurt 05/12/2023
 Supervised By : Mahesh Dadoda 05/12/2023

05/12/2023
 Supervised By : Mahesh
 Dadoda

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	683772	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	613632	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	284416	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	198108	20.446	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	81.800%	
7) Chloroethane-d5	2.893	69	150915	21.008	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	84.040%	
11) 1,1-Dichloroethene-d2	4.021	65	97811	20.159	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	80.640%	
21) 2-Butanone-d5	7.075	46	145309	45.363	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	90.720%	
24) Chloroform-d	7.648	84	426613	21.637	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	86.560%	
26) 1,2-Dichloroethane-d4	8.307	65	248762m	22.312	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	89.240%	
32) Benzene-d6	8.276	84	876173	21.852	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	87.400%	
36) 1,2-Dichloropropane-d6	9.270	67	284824	22.202	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	88.800%	
41) Toluene-d8	10.319	98	742960	20.780	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	83.120%	
43) trans-1,3-Dichloroprop...	10.575	79	106718	20.522	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	82.080%	
47) 2-Hexanone-d5	10.922	63	99446	45.459	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	90.920%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	226485	23.163	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	92.640%	
66) 1,2-Dichlorobenzene-d4	13.848	152	235418	22.706	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	90.840%	
Target Compounds						
16) Methylene chloride	4.917	84	43609	3.093	ug/L	Qvalue 88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051123\
Data File : VW025955.D
Acq On : 11 May 2023 14:39
Operator : SY/MD
Sample : 02612-23
Misc : 5.03g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001


Quant Time: May 12 05:38:44 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 05 23:47:36 2023
Response via : Initial Calibration


Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 05/12/2023
Supervised By : Mahesh Dadoda 05/12/2023

05/12/2023
Supervised By : Mahesh
Dadoda


05/12/2023





#16
Methylene chloride
Concen: 3.093 ug/L
RT: 4.917 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW025955.D
Acq: 11 May 2023 14:39



Instrument :
MSVOA_W
ClientSampleId :
VHBLK001



Tgt Ion: 84 Resp: 43609
Ion Ratio Lower Upper
84 100
86 67.8 41.7 77.5
49 151.0 95.3 177.1

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/12/2023
Supervised By :Mahesh Dadoda 05/12/2023



05/12/2023
Supervised By :Mahesh
Dadoda
05/12/2023