

Method Path : Z:\voasrv\HPCHEM1\MSVOA_W\Method\
 Method File : SFAMWLM051221SMA.M

Title : SFAM01.0

Last Update : Wed May 12 15:15:33 2021

Response Via : Initial Calibration

Calibration Files

2.5 =VW018974.D 5 =VW018975.D 25 =VW018976.D 50 =VW018977.D 100 =VW018978.D

Compound	2.5	5	25	50	100	Avg	%RSD
----------	-----	---	----	----	-----	-----	------

1) I	1,4-Difluorobenzene	-----ISTD-----					
2) T	Dichlorodifluoro...	0.234 0.223 0.233 0.213 0.223 0.225				3.84	
3) T	Chloromethane	0.244 0.228 0.210 0.203 0.231 0.223				7.44	
4) S	Vinyl Chloride-d3	0.346 0.351 0.270 0.241 0.254 0.293				17.90	
5) T	Vinyl chloride	0.355 0.378 0.377 0.340 0.344 0.359				4.97	
6) T	Bromomethane	0.287 0.296 0.276 0.257 0.277 0.279				5.22	
7) S	Chloroethane-d5	0.262 0.274 0.226 0.202 0.225 0.238				12.50	
8) T	Chloroethane	0.210 0.230 0.234 0.218 0.226 0.224				4.42	
9) T	Trichlorofluorom...	0.217 0.246 0.271 0.258 0.270 0.252				8.76	
10) T	1,1,2-Trichloro....	0.313 0.315 0.321 0.292 0.298 0.308				3.97	
11) S	1,1-Dichloroethe...	0.616 0.632 0.554 0.502 0.532 0.567				9.72	
12) T	1,1-Dichloroethene	0.299 0.315 0.321 0.299 0.305 0.308				3.20	
13) T	Acetone	0.063 0.047 0.043 0.041 0.041 0.047				20.28	
14) T	Carbon disulfide	0.853 0.901 0.997 0.940 0.959 0.930				5.93	
15) T	Methyl Acetate	0.104 0.108 0.104 0.102 0.104 0.105				2.16	
16) T	Methylene chloride	0.571 0.455 0.359 0.319 0.318 0.404				26.86	
17) T	trans-1,2-Dichlo...	0.319 0.335 0.354 0.327 0.339 0.335				3.89	
18) T	Methyl tert-butyl...	0.433 0.442 0.435 0.407 0.403 0.424				4.18	
19) T	1,1-Dichloroethane	0.562 0.595 0.608 0.566 0.578 0.582				3.36	
20) T	cis-1,2-Dichloro...	0.330 0.367 0.369 0.353 0.358 0.355				4.30	
21) S	2-Butanone-d5	0.076 0.070 0.057 0.054 0.059 0.063				14.92	
22) T	2-Butanone	0.083 0.071 0.068 0.065 0.066 0.071				10.69	
23) T	Bromochloromethane	0.154 0.164 0.161 0.150 0.155 0.157				3.61	
24) S	Chloroform-d	0.683 0.697 0.600 0.544 0.579 0.621				10.72	
25) T	Chloroform	0.592 0.625 0.626 0.588 0.591 0.604				3.15	
26) S	1,2-Dichloroetha...	0.352 0.358 0.304 0.278 0.294 0.317				11.28	
27) T	1,2-Dichloroethane	0.386 0.405 0.391 0.367 0.368 0.383				4.20	
28) I	Chlorobenzene-d5	-----ISTD-----					
29) T	Cyclohexane	0.504 0.559 0.569 0.541 0.542 0.543				4.56	
30) T	1,1,1-Trichloroe...	0.497 0.541 0.537 0.510 0.519 0.521				3.54	
31) T	Carbon tetrachlo...	0.454 0.480 0.488 0.474 0.475 0.474				2.66	
32) S	Benzene-d6	1.495 1.523 1.269 1.165 1.238 1.338				12.01	
33) T	Benzene	1.419 1.543 1.514 1.413 1.396 1.457				4.58	
34) T	Trichloroethene	0.366 0.401 0.392 0.373 0.381 0.383				3.70	
35) T	Methylcyclohexane	0.609 0.655 0.677 0.644 0.641 0.645				3.84	
36) S	1,2-Dichloroprop...	0.434 0.446 0.370 0.343 0.362 0.391				11.79	
37) T	1,2-Dichloropropane	0.349 0.374 0.352 0.337 0.335 0.349				4.40	
38) T	Bromodichloromet...	0.434 0.468 0.470 0.461 0.464 0.460				3.19	
39) T	cis-1,3-Dichloro...	0.482 0.524 0.558 0.542 0.555 0.532				5.84	
40) T	4-Methyl-2-penta...	0.193 0.180 0.168 0.167 0.170 0.175				6.33	
41) S	Toluene-d8	1.331 1.366 1.209 1.108 1.198 1.242				8.45	
42) T	Toluene	1.510 1.643 1.651 1.576 1.574 1.591				3.64	
43) S	trans-1,3-Dichlo...	0.173 0.170 0.156 0.155 0.171 0.165				5.21	
44) T	trans-1,3-Dichlo...	0.411 0.442 0.472 0.469 0.482 0.455				6.37	
45) T	1,1,2-Trichloroe...	0.267 0.267 0.257 0.252 0.249 0.258				3.31	
46) T	Tetrachloroethene	0.285 0.311 0.313 0.295 0.308 0.302				3.99	
47) S	2-Hexanone-d5	0.064 0.061 0.053 0.052 0.056 0.057				9.26	
48) T	2-Hexanone	0.106 0.112 0.113 0.112 0.114 0.111				2.75	
49) T	Dibromochloromet...	0.290 0.291 0.302 0.294 0.305 0.296				2.29	
50) T	1,2-Dibromoethane	0.252 0.257 0.248 0.243 0.240 0.248				2.80	
51) T	Chlorobenzene	0.977 1.047 1.036 0.978 0.996 1.007				3.27	
52) T	Ethylbenzene	1.605 1.783 1.841 1.746 1.763 1.747				5.01	
53) T	m,p-Xylene	0.597 0.675 0.688 0.671 0.679 0.662				5.59	
54) T	o-Xylene	0.548 0.634 0.658 0.648 0.664 0.631				7.57	
55) T	Styrene	0.925 1.081 1.135 1.097 1.149 1.077				8.30	
56) S	1,1,2,2-Tetrachl...	0.353 0.329 0.279 0.264 0.277 0.300				12.79	

Response Factor Report MSVOA_W

Method Path : Z:\voasrv\HPCHEM1\MSVOA_W\Method\

Method File : SFAMWLM051221SMA.M

57)	T	1,1,2,2-Tetrachloroethane	0.319	0.311	0.296	0.287	0.287	0.300	4.72
58)	I	1,4-Dichlorobenzene	-----	-----	ISTD	-----	-----	-----	-----
59)	T	Bromoform	0.288	0.297	0.314	0.324	0.365	0.318	9.41
60)		Isopropylbenzene	3.044	3.340	3.535	3.327	3.480	3.345	5.70
61)		1,2,3-Trichloropropane	0.476	0.444	0.423	0.394	0.414	0.430	7.26
62)		1,3,5-Trimethylbenzene	2.474	2.683	2.907	2.781	2.950	2.759	6.92
63)		1,2,4-Trimethylbenzene	2.444	2.730	2.951	2.816	2.947	2.778	7.51
64)	T	1,3-Dichlorobenzene	1.420	1.531	1.517	1.409	1.541	1.484	4.29
65)	T	1,4-Dichlorobenzene	1.515	1.571	1.495	1.438	1.505	1.505	3.16
66)	S	1,2-Dichlorobenzene	0.951	0.912	0.798	0.711	0.797	0.834	11.64
67)	T	1,2-Dichlorobenzene	1.320	1.382	1.393	1.258	1.349	1.340	4.05
68)	T	1,2-Dibromo-3-chloropropane	0.101	0.082	0.086	0.085	0.089	0.089	8.52
69)		1,3,5-Trichlorobenzene	1.053	1.108	1.138	1.053	1.081	1.087	3.38
70)	T	1,2,4-trichlorobenzene	0.853	0.894	0.905	0.872	0.910	0.887	2.72
71)		Naphthalene	1.487	1.500	1.630	1.566	1.677	1.572	5.22
72)	T	1,2,3-Trichlorobenzene	0.765	0.776	0.810	0.724	0.793	0.774	4.21

(#= Out of Range