

Data Path : W:\HPCHEM1\MSVOA W\DATA\VW051518\
 Data File : VW002575.D
 Acq On : 16 May 2018 03:28
 Operator : JC/SY
 Sample : J2785-01
 Misc : 5.09G/10ML/MSVOA W/SOIL
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BP-1A

Quant Time: May 16 07:52:50 2018
 Quant Method : W:\HPCHEM1\MSVOA_W\METHOD\82W051518S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 15 03:32:11 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	95926	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	147326	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.64	117	84792	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.57	152	30690	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	51611	52.07	ug/l	0.00
Spiked Amount	50.000		Recovery	=	104.14%	
35) Dibromofluoromethane	7.88	113	40091	42.89	ug/l	0.00
Spiked Amount	50.000		Recovery	=	85.78%	
50) Toluene-d8	10.33	98	77796	21.88	ug/l	0.00
Spiked Amount	50.000		Recovery	=	43.76%	
62) 4-Bromofluorobenzene	12.63	95	29239	22.49	ug/l	0.00
Spiked Amount	50.000		Recovery	=	44.98%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA W\DATA\VW051518\
Data File : VW002575.D
Acq On : 16 May 2018 03:28
Operator : JC/SY
Sample : J2785-01
Misc : 5.09G/10ML/MSVOA W/SOIL
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BP-1A

Quant Time: May 16 07:52:50 2018
Quant Method : W:\HPCHEM1\MSVOA_W\METHOD\82W051518S.M
Quant Title : SW846 8260
QLast Update : Tue May 15 03:32:11 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 7.95 min Scan# 1044

Delta R.T. 0.01 min

Lab File: VW002575.D

Acq: 16 May 2018 03:28

Instrument :

MSVOA_W

ClientSampleId :


BP-1A

Tot Ion:168 Resp: 95926

Ion Ratio Lower Upper

168 100

99 50.2 42.6 64.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

40000



30000

20000

10000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 52.07 ug/l

RT: 8.31 min Scan# 1102

Delta R.T. -0.00 min

Lab File: VW002575.D


Acq: 16 May 2018 03:28

Tgt Ion: 65 Resp: 51611

Ion Ratio Lower Upper

65 100

67 52.1 0.0 104.4



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW

8.31

25000

20000


15000


10000

5000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 8.84 min Scan# 1190

Delta R.T. -0.00 min

Lab File: VW002575.D

Acq: 16 May 2018 03:28

Instrument :

MSVOA_W

ClientSampleId :

BP-1A


Tot Ion:114 Resp: 147326

Ion Ratio Lower Upper

114 100

63 20.1 0.0 43.2




88 13.9 0.0 29.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VW

Ion 87.90 (87.60 to 88.60): VW



#35

Dibromofluoromethane

Concen: 42.89 ug/l

RT: 7.88 min Scan# 1033

Delta R.T. -0.00 min

Lab File: VW002575.D

Acq: 16 May 2018 03:28


Tgt Ion:113 Resp: 40091

Ion Ratio Lower Upper

113 100

111 104.1 81.8 122.8



192 21.4 17.5 26.3




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 21.88 ug/l

RT: 10.33 min Scan# 1434

Delta R.T. -0.00 min

Lab File: VW002575.D

Acq: 16 May 2018 03:28

Instrument :

MSVOA_W

ClientSampled :





BP-1A

Tot Ion: 98 Resp: 77796

Ion Ratio Lower Upper

98 100

100 64.7 51.0 76.4



#62

4-Bromofluorobenzene

Concen: 22.49 ug/l

RT: 12.63 min Scan# 1811

Delta R.T. -0.00 min

Lab File: VW002575.D

Acq: 16 May 2018 03:28




Tgt Ion: 95 Resp: 29239


Ion Ratio Lower Upper

95 100

174 91.1 0.0 176.6

176 85.1 0.0 172.2









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.64 min Scan# 1649
Delta R.T. -0.00 min
Lab File: VW002575.D
Acq: 16 May 2018 03:28

Instrument :
MSVOA_W
ClientSampleId :
BP-1A

Tot Ion:117 Resp: 84792
Ion Ratio Lower Upper
117 100
82 54.1 42.6 64.0
119 34.3 25.0 37.6




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 13.57 min Scan# 1966
Delta R.T. -0.00 min
Lab File: VW002575.D
Acq: 16 May 2018 03:28

Tgt Ion:152 Resp: 30690
Ion Ratio Lower Upper
152 100
115 54.6 28.0 84.0
150 149.9 0.0 345.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

