

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW051520\
 Data File : VW015428.D
 Acq On : 15 May 2020 12:34
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: May 18 01:08:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W050620S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 05 18:41:17 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	102	0.00
2 T	Dichlorodifluoromethane	0.289	0.270	6.6	93	0.00
3 P	Chloromethane	0.362	0.315	13.0	94	0.00
4 C	Vinyl Chloride	0.548	0.523	4.6#	96	0.00
5 T	Bromomethane	0.429	0.382	11.0	99	0.00
6 T	Chloroethane	0.378	0.352	6.9	98	0.00
7 T	Trichlorofluoromethane	0.402	0.363	9.7	90	0.00
8 T	Diethyl Ether	0.251	0.231	8.0	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.466	0.458	1.7	101	0.00
10 T	Methyl Iodide	0.705	0.672	4.7	98	0.00
11 T	Tert butyl alcohol	0.032	0.037	-15.6	123	0.03
12 CM	1,1-Dichloroethene	0.483	0.457	5.4#	97	0.00
13 T	Acrolein	0.040	0.043	-7.5	107	0.00
14 T	Allyl chloride	0.847	0.818	3.4	100	0.00
15 T	Acrylonitrile	0.102	0.107	-4.9	107	0.00
16 T	Acetone	0.085	0.101	-18.8	123	0.01
17 T	Carbon Disulfide	1.482	1.415	4.5	97	0.00
18 T	Methyl Acetate	0.227	0.238	-4.8	112	0.00
19 T	Methyl tert-butyl Ether	0.776	0.760	2.1	101	0.00
20 T	Methylene Chloride	0.557	0.493	11.5	100	0.00
21 T	trans-1,2-Dichloroethene	0.549	0.529	3.6	99	0.00
22 T	Diisopropyl ether	1.655	1.567	5.3	97	0.00
23 T	Vinyl Acetate	1.006	0.992	1.4	101	0.00
24 P	1,1-Dichloroethane	0.992	0.946	4.6	98	0.00
25 T	2-Butanone	0.133	0.145	-9.0	113	0.00
26 T	2,2-Dichloropropane	0.657	0.642	2.3	102	0.00
27 T	cis-1,2-Dichloroethene	0.596	0.577	3.2	99	0.00
28 T	Bromochloromethane	0.399	0.373	6.5	96	0.00
29 T	Tetrahydrofuran	0.088	0.091	-3.4	106	0.00
30 C	Chloroform	0.986	0.948	3.9#	98	0.00
31 T	Cyclohexane	1.007	0.913	9.3	96	0.00
32 T	1,1,1-Trichloroethane	0.828	0.805	2.8	97	0.00
33 S	1,2-Dichloroethane-d4	0.550	0.548	0.4	101	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	98	0.00
35 S	Dibromofluoromethane	0.287	0.297	-3.5	100	0.00
36 T	1,1-Dichloropropene	0.491	0.498	-1.4	99	0.00
37 T	Ethyl Acetate	0.191	0.205	-7.3	104	0.00
38 T	Carbon Tetrachloride	0.459	0.468	-2.0	98	0.00
39 T	Methylcyclohexane	0.622	0.628	-1.0	99	0.00
40 TM	Benzene	1.340	1.318	1.6	98	0.00
41 T	Methacrylonitrile	0.120	0.132	-10.0	116	0.00
42 TM	1,2-Dichloroethane	0.408	0.416	-2.0	101	0.00
43 T	Isopropyl Acetate	0.401	0.425	-6.0	107	0.00
44 TM	Trichloroethene	0.347	0.353	-1.7	100	0.00
45 C	1,2-Dichloropropane	0.331	0.328	0.9#	99	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW051520\
 Data File : VW015428.D
 Acq On : 15 May 2020 12:34
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: May 18 01:08:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W050620S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 05 18:41:17 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.165	0.169	-2.4	102	0.00
47 T	Bromodichloromethane	0.449	0.453	-0.9	99	0.00
48 T	Methyl methacrylate	0.185	0.199	-7.6	104	0.00
49 T	1,4-Dioxane	0.002	0.003	-50.0#	120	0.02
50 S	Toluene-d8	1.188	1.216	-2.4	98	0.00
51 T	4-Methyl-2-Pentanone	0.188	0.205	-9.0	108	0.00
52 CM	Toluene	0.871	0.872	-0.1#	98	0.00
53 T	t-1,3-Dichloropropene	0.458	0.474	-3.5	101	0.00
54 T	cis-1,3-Dichloropropene	0.539	0.543	-0.7	98	0.00
55 T	1,1,2-Trichloroethane	0.233	0.236	-1.3	101	0.00
56 T	Ethyl methacrylate	0.320	0.333	-4.1	102	0.00
57 T	1,3-Dichloropropane	0.419	0.428	-2.1	102	0.00
58 T	2-Chloroethyl Vinyl ether	0.156	0.161	-3.2	100	0.00
59 T	2-Hexanone	0.127	0.144	-13.4	110	0.00
60 T	Dibromochloromethane	0.280	0.291	-3.9	102	0.00
61 T	1,2-Dibromoethane	0.220	0.231	-5.0	103	0.00
62 S	4-Bromofluorobenzene	0.439	0.454	-3.4	99	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	98	0.00
64 T	Tetrachloroethene	0.306	0.320	-4.6	101	0.00
65 PM	Chlorobenzene	0.986	0.991	-0.5	98	0.00
66 T	1,1,1,2-Tetrachloroethane	0.350	0.359	-2.6	100	0.00
67 C	Ethyl Benzene	1.887	1.898	-0.6#	98	0.00
68 T	m/p-Xylenes	0.702	0.714	-1.7	99	0.00
69 T	o-Xylene	0.659	0.669	-1.5	97	0.00
70 T	Styrene	1.135	1.139	-0.4	96	0.00
71 P	Bromoform	0.170	0.184	-8.2	101	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	3.733	3.778	-1.2	97	0.00
74 T	N-amyl acetate	0.882	0.918	-4.1	102	0.00
75 P	1,1,2,2-Tetrachloroethane	0.584	0.626	-7.2	103	0.00
76 T	1,2,3-Trichloropropane	0.411	0.417	-1.5	84	0.00
77 T	Bromobenzene	0.791	0.820	-3.7	100	0.00
78 T	n-propylbenzene	4.479	4.534	-1.2	97	0.00
79 T	2-Chlorotoluene	2.525	2.564	-1.5	97	0.00
80 T	1,3,5-Trimethylbenzene	3.144	3.193	-1.6	96	0.00
81 T	trans-1,4-Dichloro-2-butene	0.208	0.226	-8.7	104	0.00
82 T	4-Chlorotoluene	2.675	2.725	-1.9	97	0.00
83 T	tert-Butylbenzene	2.683	2.751	-2.5	97	0.00
84 T	1,2,4-Trimethylbenzene	3.145	3.190	-1.4	96	0.00
85 T	sec-Butylbenzene	3.780	3.892	-3.0	97	0.00
86 T	p-Isopropyltoluene	3.448	3.552	-3.0	96	0.00
87 T	1,3-Dichlorobenzene	1.576	1.603	-1.7	95	0.00
88 T	1,4-Dichlorobenzene	1.561	1.578	-1.1	96	0.00
89 T	n-Butylbenzene	3.375	3.459	-2.5	95	0.00

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW051520\
Data File : VW015428.D
Acq On : 15 May 2020 12:34
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: May 18 01:08:37 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W050620S.M
Quant Title : SW846 8260
QLast Update : Tue May 05 18:41:17 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.635	0.648	-2.0	97	0.00
91 T	1,2-Dichlorobenzene	1.364	1.403	-2.9	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.102	0.110	-7.8	105	0.00
93 T	1,2,4-Trichlorobenzene	0.917	0.952	-3.8	99	0.00
94 T	Hexachlorobutadiene	0.543	0.575	-5.9	100	0.00
95 T	Naphthalene	1.643	1.778	-8.2	102	0.00
96 T	1,2,3-Trichlorobenzene	0.788	0.805	-2.2	99	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6