

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051622\
 Data File : VW023057.D
 Acq On : 16 May 2022 16:47
 Operator : SY/VA
 Sample : N2821-13RE
 Misc : 4.93g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXLD3

Quant Time: May 17 01:29:17 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue May 17 01:24:30 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	352911	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	337594	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	167339	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	109392	15.108	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	60.440%
7) Chloroethane-d5	2.879	69	92949	19.732	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.920%
11) 1,1-Dichloroethene-d2	4.013	63	103831	11.098	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	44.400%#
21) 2-Butanone-d5	7.080	46	63226	45.928	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.860%
24) Chloroform-d	7.647	84	222149	21.486	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.960%
26) 1,2-Dichloroethane-d4	8.305	65	126298	22.272	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	89.080%
32) Benzene-d6	8.275	84	398426	20.475	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	81.920%
36) 1,2-Dichloropropane-d6	9.274	67	127093	23.252	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.000%
41) Toluene-d8	10.323	98	368913	19.626	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	78.520%
43) trans-1,3-Dichloroprop...	10.579	79	48355	19.213	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	76.840%
47) 2-Hexanone-d5	10.921	63	51650	49.499	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	99.000%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	118554	23.270	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.080%
66) 1,2-Dichlorobenzene-d4	13.847	152	130017	22.227	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.920%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051622\
Data File : VW023057.D
Acq On : 16 May 2022 16:47
Operator : SY/VA
Sample : N2821-13RE
Misc : 4.93g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXLD3

Quant Time: May 17 01:29:17 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Tue May 17 01:24:30 2022
Response via : Initial Calibration

