

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051821\
 Data File : VW019012.D
 Acq On : 18 May 2021 11:08
 Operator : SY/VA
 Sample : VW0518SBL01
 Misc : 5.00G/10ML/MSVOA_W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK127

Quant Time: May 19 01:15:08 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM051421SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 19 01:14:42 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	615835	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	550828	25.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	263290	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	156931	25.04	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 100.16%			
7) Chloroethane-d5	2.892	69	136294	22.55	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 90.20%			
11) 1,1-Dichloroethene-d2	4.019	63	243973	17.05	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery = 68.20%			
21) 2-Butanone-d5	7.080	46	85504	51.81	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 103.62%			
24) Chloroform-d	7.653	84	378012	23.98	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery = 95.92%			
26) 1,2-Dichloroethane-d4	8.305	65	206083	25.16	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery = 100.64%			
32) Benzene-d6	8.275	84	769383	25.02	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery = 100.08%			
36) 1,2-Dichloropropane-d6	9.275	67	232264	25.77	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery = 103.08%			
41) Toluene-d8	10.323	98	716377	24.86	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery = 99.44%			
43) trans-1,3-Dichloroprop...	10.579	79	95838	24.74	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery = 98.96%			
47) 2-Hexanone-d5	10.927	63	68443	51.36	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 102.72%			
56) 1,1,2,2-Tetrachloroeth...	12.695	84	171621	24.85	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery = 99.40%			
66) 1,2-Dichlorobenzene-d4	13.853	152	235964	25.94	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery = 103.76%			
Target Compounds					Qvalue	
42) Toluene	10.390	91	12230	0.33	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051821\
Data File : VW019012.D
Acq On : 18 May 2021 11:08
Operator : SY/VA
Sample : VW0518SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK127

Quant Time: May 19 01:15:08 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM051421SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 19 01:14:42 2021
Response via : Initial Calibration

