

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW052019\
 Data File : VW010454.D
 Acq On : 20 May 2019 17:48
 Operator : SY/VA
 Sample : VSTDICV050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ICVVW052019

Quant Time: May 21 06:56:20 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W052019S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 21 06:38:43 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	103	0.00
2 T	Dichlorodifluoromethane	0.468	0.448	4.3	99	0.00
3 P	Chloromethane	0.525	0.537	-2.3	101	0.00
4 C	Vinyl Chloride	0.609	0.608	0.2#	101	0.00
5 T	Bromomethane	0.419	0.418	0.2	104	0.00
6 T	Chloroethane	0.391	0.400	-2.3	101	0.00
7 T	Trichlorofluoromethane	0.898	0.886	1.3	102	0.00
8 T	Diethyl Ether	0.285	0.273	4.2	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.553	0.545	1.4	102	0.00
10 T	Methyl Iodide	0.632	0.617	2.4	95	0.00
11 T	Tert butyl alcohol	0.046	0.042	8.7	99	0.00
12 CM	1,1-Dichloroethene	0.528	0.525	0.6#	102	0.00
13 T	Acrolein	0.032	0.024	25.0#	105	0.00
14 T	Allyl chloride	0.764	0.750	1.8	100	0.00
15 T	Acrylonitrile	0.119	0.113	5.0	99	0.00
16 T	Acetone	0.105	0.106	-1.0	101	0.00
17 T	Carbon Disulfide	1.575	1.591	-1.0	101	0.00
18 T	Methyl Acetate	0.258	0.228	11.6	101	0.00
19 T	Methyl tert-butyl Ether	1.346	1.297	3.6	99	0.00
20 T	Methylene Chloride	0.751	0.555	26.1#	89	0.00
21 T	trans-1,2-Dichloroethene	0.606	0.601	0.8	102	0.00
22 T	Diisopropyl ether	1.568	1.521	3.0	99	0.00
23 T	Vinyl Acetate	0.936	0.919	1.8	99	0.00
24 P	1,1-Dichloroethane	0.935	0.928	0.7	100	0.00
25 T	2-Butanone	0.151	0.141	6.6	99	0.00
26 T	2,2-Dichloropropane	0.891	0.888	0.3	103	0.00
27 T	cis-1,2-Dichloroethene	0.659	0.653	0.9	101	0.00
28 T	Bromochloromethane	0.335	0.337	-0.6	102	0.00
29 T	Tetrahydrofuran	0.102	0.094	7.8	99	0.00
30 C	Chloroform	1.009	0.983	2.6#	99	0.00
31 T	Cyclohexane	0.980	0.929	5.2	101	0.00
32 T	1,1,1-Trichloroethane	0.964	0.957	0.7	102	0.00
33 S	1,2-Dichloroethane-d4	0.516	0.492	4.7	98	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	101	0.00
35 S	Dibromofluoromethane	0.303	0.307	-1.3	100	0.00
36 T	1,1-Dichloropropene	0.466	0.463	0.6	100	0.00
37 T	Ethyl Acetate	0.198	0.190	4.0	97	0.00
38 T	Carbon Tetrachloride	0.502	0.510	-1.6	101	0.00
39 T	Methylcyclohexane	0.624	0.639	-2.4	101	0.00
40 TM	Benzene	1.295	1.307	-0.9	100	0.00
41 T	Methacrylonitrile	0.118	0.109	7.6	99	0.00
42 TM	1,2-Dichloroethane	0.370	0.365	1.4	99	0.00
43 T	Isopropyl Acetate	0.396	0.382	3.5	98	0.00
44 TM	Trichloroethene	0.384	0.393	-2.3	101	0.00
45 C	1,2-Dichloropropane	0.307	0.310	-1.0#	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW052019\
 Data File : VW010454.D
 Acq On : 20 May 2019 17:48
 Operator : SY/VA
 Sample : VSTDICV050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ICVVW052019

Quant Time: May 21 06:56:20 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W052019S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 21 06:38:43 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.180	0.178	1.1	98	0.00
47 T	Bromodichloromethane	0.452	0.451	0.2	98	0.00
48 T	Methyl methacrylate	0.181	0.175	3.3	98	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	100	0.00
50 S	Toluene-d8	1.159	1.181	-1.9	100	0.00
51 T	4-Methyl-2-Pentanone	0.201	0.192	4.5	97	0.00
52 CM	Toluene	0.869	0.872	-0.3#	100	0.00
53 T	t-1,3-Dichloropropene	0.458	0.456	0.4	99	0.00
54 T	cis-1,3-Dichloropropene	0.523	0.532	-1.7	101	0.00
55 T	1,1,2-Trichloroethane	0.259	0.260	-0.4	100	0.00
56 T	Ethyl methacrylate	0.357	0.342	4.2	95	0.00
57 T	1,3-Dichloropropane	0.433	0.431	0.5	99	0.00
58 T	2-Chloroethyl Vinyl ether	0.158	0.159	-0.6	104	0.00
59 T	2-Hexanone	0.143	0.137	4.2	97	0.00
60 T	Dibromochloromethane	0.327	0.325	0.6	98	0.00
61 T	1,2-Dibromoethane	0.262	0.256	2.3	97	0.00
62 S	4-Bromofluorobenzene	0.462	0.452	2.2	100	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	99	0.00
64 T	Tetrachloroethene	0.349	0.357	-2.3	100	0.00
65 PM	Chlorobenzene	1.066	1.080	-1.3	101	0.00
66 T	1,1,1,2-Tetrachloroethane	0.382	0.390	-2.1	99	0.00
67 C	Ethyl Benzene	1.881	1.905	-1.3#	100	0.00
68 T	m/p-Xylenes	0.738	0.753	-2.0	100	0.00
69 T	o-Xylene	0.699	0.720	-3.0	101	0.00
70 T	Styrene	1.186	1.222	-3.0	101	0.00
71 P	Bromoform	0.210	0.215	-2.4	100	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
73 T	Isopropylbenzene	3.968	3.951	0.4	100	0.00
74 T	N-amyl acetate	0.909	0.871	4.2	99	0.00
75 P	1,1,2,2-Tetrachloroethane	0.722	0.668	7.5	97	0.00
76 T	1,2,3-Trichloropropane	0.508	0.479	5.7	99	0.00
77 T	Bromobenzene	0.888	0.897	-1.0	101	0.00
78 T	n-propylbenzene	4.624	4.567	1.2	101	0.00
79 T	2-Chlorotoluene	2.681	2.611	2.6	99	0.00
80 T	1,3,5-Trimethylbenzene	3.360	3.330	0.9	100	0.00
81 T	trans-1,4-Dichloro-2-butene	0.243	0.239	1.6	100	0.00
82 T	4-Chlorotoluene	2.783	2.762	0.8	101	0.00
83 T	tert-Butylbenzene	2.935	2.880	1.9	99	0.00
84 T	1,2,4-Trimethylbenzene	3.347	3.329	0.5	100	0.00
85 T	sec-Butylbenzene	4.108	4.046	1.5	100	0.00
86 T	p-Isopropyltoluene	3.718	3.709	0.2	100	0.00
87 T	1,3-Dichlorobenzene	1.742	1.757	-0.9	101	0.00
88 T	1,4-Dichlorobenzene	1.748	1.740	0.5	98	0.00
89 T	n-Butylbenzene	3.537	3.560	-0.7	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW052019\
Data File : VW010454.D
Acq On : 20 May 2019 17:48
Operator : SY/VA
Sample : VSTDICV050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
ICVW052019

Quant Time: May 21 06:56:20 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W052019S.M
Quant Title : SW846 8260
QLast Update : Tue May 21 06:38:43 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.720	0.724	-0.6	99	0.00
91 T	1,2-Dichlorobenzene	1.587	1.590	-0.2	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.134	0.124	7.5	95	0.00
93 T	1,2,4-Trichlorobenzene	1.080	1.123	-4.0	99	0.00
94 T	Hexachlorobutadiene	0.577	0.602	-4.3	99	0.00
95 T	Naphthalene	2.267	2.301	-1.5	98	0.00
96 T	1,2,3-Trichlorobenzene	0.929	0.977	-5.2	100	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6