

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW052019\
 Data File : VW010461.D
 Acq On : 20 May 2019 21:53
 Operator : SY/VA
 Sample : K2944-02
 Misc : 5.14G/5ML/MSVOA W/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 FESB-2(14.5-15)

Quant Time: May 21 07:08:36 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W052019S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 21 06:38:43 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	123142	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	235608	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	206191	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	89760	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	74011	58.23	ug/l	0.00
Spiked Amount 50.000			Recovery	=	116.46%	
35) Dibromofluoromethane	7.88	113	71613	50.09	ug/l	0.00
Spiked Amount 50.000			Recovery	=	100.18%	
50) Toluene-d8	10.32	98	291051	53.29	ug/l	0.00
Spiked Amount 50.000			Recovery	=	106.58%	
62) 4-Bromofluorobenzene	12.62	95	106379	48.90	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.80%	
Target Compounds						
16) Acetone	4.13	43	4376	16.867	ug/l #	88
40) Benzene	8.33	78	8634	1.415	ug/l	97
52) Toluene	10.39	92	51202	12.498	ug/l	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW052019\
Data File : VW010461.D
Acq On : 20 May 2019 21:53
Operator : SY/VA
Sample : K2944-02
Misc : 5.14G/5ML/MSVOA W/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
FESB-2(14.5-15)

Quant Time: May 21 07:08:36 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W052019S.M
Quant Title : SW846 8260
QLast Update : Tue May 21 06:38:43 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 992

Delta R.T. -0.00 min

Lab File: VW010461.D

Acq: 20 May 2019 21:53

Instrument :

MSVOA_W

ClientSampleId :


FESB-2(14.5-15)

Tot Ion:168 Resp: 123142

Ion Ratio Lower Upper




168 100

99 63.2 46.1 69.1



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#16

Acetone

Concen: 16.867 ug/l

RT: 4.13 min Scan# 365

Delta R.T. 0.01 min

Lab File: VW010461.D


Acq: 20 May 2019 21:53

Tgt Ion: 43 Resp: 4376

Ion Ratio Lower Upper



43 100


58 26.7 27.0 40.4#



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW









#33
 1,2-Dichloroethane-d4
 Concen: 58.229 ug/l
 RT: 8.31 min Scan# 1050
 Delta R.T. -0.00 min
 Lab File: VW010461.D
 Acq: 20 May 2019 21:53




Instrument :
 MSVOA_W
 ClientSampleId :
 FESB-2(14.5-15)


Tot Ion: 65 Resp: 74011
 Ion Ratio Lower Upper
 65 100
 67 51.5 0.0 103.6



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. -0.00 min
 Lab File: VW010461.D
 Acq: 20 May 2019 21:53

Tgt Ion: 114 Resp: 235608
 Ion Ratio Lower Upper
 114 100
 63 19.9 0.0 36.0
 88 16.0 0.0 32.0









#35
 Dibromofluoromethane
 Concen: 50.092 ug/l
 RT: 7.88 min Scan# 981
 Delta R.T. -0.00 min
 Lab File: VW010461.D
 Acq: 20 May 2019 21:53




Instrument :
 MSVOA_W
 ClientSampleId :
 FESB-2(14.5-15)


Tot Ion:113 Resp: 71613
 Ion Ratio Lower Upper
 113 100
 111 102.2 82.2 123.4
 192 17.4 14.3 21.5



#40
 Benzene
 Concen: 1.415 ug/l
 RT: 8.33 min Scan# 1054
 Delta R.T. 0.01 min
 Lab File: VW010461.D
 Acq: 20 May 2019 21:53

Tgt Ion: 78 Resp: 8634
 Ion Ratio Lower Upper
 78 100
 77 22.0 18.9 28.3









#50
Toluene-d8
Concen: 53.291 ug/l
RT: 10.32 min Scan# 1381
Delta R.T. -0.00 min
Lab File: VW010461.D
Acq: 20 May 2019 21:53




Instrument :
MSVOA_W
ClientSampleId :
FESB-2(14.5-15)


Tot Ion: 98 Resp: 291051
Ion Ratio Lower Upper
98 100
100 66.5 53.7 80.5



#52
Toluene
Concen: 12.498 ug/l
RT: 10.39 min Scan# 1392
Delta R.T. -0.00 min
Lab File: VW010461.D
Acq: 20 May 2019 21:53

Tgt Ion: 92 Resp: 51202
Ion Ratio Lower Upper
92 100
91 167.1 135.4 203.0





#62

4-Bromofluorobenzene

Concen: 48.901 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. -0.00 min

Lab File: VW010461.D

Acq: 20 May 2019 21:53

Instrument :

MSVOA_W

ClientSampleId :

FESB-2(14.5-15)


Tot Ion: 95 Resp: 106379

Ion Ratio Lower Upper

95 100

174 68.0 0.0 148.6




176 64.7 0.0 144.2



Abundance Ion 94.90 (94.60 to 95.60): VW

Ion 173.80 (173.50 to 174.50): VW

Ion 175.80 (175.50 to 176.50): VW



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.63 min Scan# 1596

Delta R.T. -0.00 min

Lab File: VW010461.D

Acq: 20 May 2019 21:53


Tgt Ion: 117 Resp: 206191

Ion Ratio Lower Upper

117 100

82 54.4 42.8 64.2



119 32.4 26.3 39.5




Abundance Ion 116.90 (116.60 to 117.60): VW

Ion 82.00 (81.70 to 82.70): VW

Ion 118.90 (118.60 to 119.60): VW





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.56 min Scan# 1912

Delta R.T. -0.00 min

Lab File: VW010461.D

Acq: 20 May 2019 21:53

Instrument :

MSVOA_W

ClientSampleId :

FESB-2(14.5-15)


Tot Ion:152 Resp: 89760

Ion Ratio Lower Upper

152 100

115 64.3 30.3 91.0

150 159.4 0.0 349.8



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

