

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052124\
 Data File : VW028662.D
 Acq On : 21 May 2024 16:21
 Operator : SY/MD
 Sample : P2548-05
 Misc : 6.21g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH5Y2

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/22/2024
 Supervised By :Mahesh Dadoda 05/22/2024

Quant Time: May 22 01:16:35 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 22 01:14:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	430889	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	350428	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	118263	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	136476	16.679	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	66.720%		
7) Chloroethane-d5	2.899	69	117532	18.760	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	75.040%		
11) 1,1-Dichloroethene-d2	4.021	65	60501	17.698	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	70.800%		
21) 2-Butanone-d5	7.075	46	70362	32.961	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	65.920%		
24) Chloroform-d	7.648	84	275639	20.472	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	81.880%		
26) 1,2-Dichloroethane-d4	8.307	65	158175m	20.520	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	82.080%		
32) Benzene-d6	8.270	84	543103	23.229	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	92.920%		
36) 1,2-Dichloropropane-d6	9.270	67	167654	23.830	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	95.320%		
41) Toluene-d8	10.319	98	460130	22.223	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	88.880%		
43) trans-1,3-Dichloroprop...	10.575	79	57011	20.144	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	80.560%		
47) 2-Hexanone-d5	10.922	63	46745	38.523	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	77.040%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	118691	20.119	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	80.480%		
66) 1,2-Dichlorobenzene-d4	13.848	152	109381	24.266	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	97.080%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052124\
Data File : VW028662.D
Acq On : 21 May 2024 16:21
Operator : SY/MD
Sample : P2548-05
Misc : 6.21g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH5Y2

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/22/2024
Supervised By :Mahesh Dadoda 05/22/2024

Quant Time: May 22 01:16:35 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 22 01:14:20 2024
Response via : Initial Calibration

