

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052124\
 Data File : VW028670.D
 Acq On : 21 May 2024 19:33
 Operator : SY/MD
 Sample : P2548-13
 Misc : 5.41g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH610

Quant Time: May 22 01:18:29 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 22 01:14:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	334459	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	289668	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	98383	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	121195	19.082	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.320%
7) Chloroethane-d5	2.899	69	106005	21.798	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.200%
11) 1,1-Dichloroethene-d2	4.021	65	53557	20.183	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	80.720%
21) 2-Butanone-d5	7.075	46	70207	42.370	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.740%
24) Chloroform-d	7.648	84	247661	23.698	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.800%
26) 1,2-Dichloroethane-d4	8.307	65	150827	25.209	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.840%
32) Benzene-d6	8.276	84	471974	24.421	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	97.680%
36) 1,2-Dichloropropane-d6	9.276	67	150222	25.831	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	103.320%
41) Toluene-d8	10.325	98	396655	23.176	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.720%
43) trans-1,3-Dichloroprop...	10.574	79	51695	22.097	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.400%
47) 2-Hexanone-d5	10.922	63	45995	45.856	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.720%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	122628	25.147	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.600%
66) 1,2-Dichlorobenzene-d4	13.848	152	100476	26.795	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	107.200%
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	15512	2.999	ug/L	83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052124\
Data File : VW028670.D
Acq On : 21 May 2024 19:33
Operator : SY/MD
Sample : P2548-13
Misc : 5.41g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH610

Quant Time: May 22 01:18:29 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 22 01:14:20 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.999 ug/L
RT: 4.917 min Scan# 49
Delta R.T. -0.000 min
Lab File: VW028670.D
Acq: 21 May 2024 19:33

Instrument :
MSVOA_W
ClientSampleId :
BH610

Tgt Ion: 84 Resp: 15512
Ion Ratio Lower Upper
84 100
86 53.6 44.4 82.4
49 120.4 100.2 186.2

