

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW052220\
 Data File : VW015459.D
 Acq On : 22 May 2020 18:12
 Operator : SY/VA
 Sample : L2753-07
 Misc : 6.36G/10.0mL/MSVOA W/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAXE8

Quant Time: May 23 05:57:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM050420S.M
 Quant Title : VOC Analysis
 QLast Update : Sat May 23 03:53:37 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	333314	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	298504	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	129503	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	57194	13.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	54.88%
7) Chloroethane-d5	2.89	69	65777	16.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.44%
10) 1,1-Dichloroethene-d2	4.01	63	105917	12.49	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	49.96%
20) 2-Butanone-d5	7.08	46	60263	54.10	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.20%
24) Chloroform-d	7.65	84	180478	21.44	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.76%
26) 1,2-Dichloroethane-d4	8.31	65	110620	23.70	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.80%
29) Benzene-d6	8.27	84	345155	21.13	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.52%
33) 1,2-Dichloropropane-d6	9.27	67	110939	22.41	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	89.64%
37) Toluene-d8	10.32	98	326769	20.80	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	83.20%
38) trans-1,3-Dichloropropene-	10.58	79	49322	21.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.56%
39) 2-Hexanone-d5	10.93	63	50348	55.06	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	110.12%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	94916	25.46	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.84%
61) 1,2-Dichlorobenzene-d4	13.85	152	104787	23.08	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.32%


Target Compounds					Ovalue
13) Acetone	4.12	43	29160	34.570 ug/L	97
21) 2-Butanone	7.18	43	6741	5.316 ug/L	99
44) Toluene	10.39	91	16846	0.883 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW052220\
Data File : VW015459.D
Acq On : 22 May 2020 18:12
Operator : SY/VA
Sample : L2753-07
Misc : 6.36G/10.0mL/MSVOA W/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAXE8

Quant Time: May 23 05:57:47 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM050420S.M
Quant Title : VOC Analysis
QLast Update : Sat May 23 03:53:37 2020
Response via : Initial Calibration









#13
Acetone
Concen: 34.570 ug/L
RT: 4.12 min Scan# 364
Delta R.T. 0.01 min
Lab File: VW015459.D
Acq: 22 May 2020 18:12




Instrument :
MSVOA_W
ClientSampled :
GAXE8


Tot Ion: 43 Resp: 29160
Ion Ratio Lower Upper
43 100
58 29.8 0.0 57.0



#21
2-Butanone
Concen: 5.316 ug/L
RT: 7.18 min Scan# 865
Delta R.T. 0.01 min
Lab File: VW015459.D
Acq: 22 May 2020 18:12

Tgt Ion: 43 Resp: 6741
Ion Ratio Lower Upper
43 100
72 26.7 13.6 40.8





#44

Toluene

Concen: 0.883 ug/L

RT: 10.39 min Scan# 1392

Delta R.T. 0.00 min

Lab File: VW015459.D

Acq: 22 May 2020 18:12

Instrument :

MSVOA_W

ClientSampleId :

GAXE8

Tot Ion: 91 Resp: 16846

Ion Ratio Lower Upper

91 100

92 58.3 39.8 74.0

