

Data Path : W:\HPCHEM1\MSVOA W\DATA\VW052418\
 Data File : VW002847.D
 Acq On : 24 May 2018 15:20
 Operator : JC/SY
 Sample : J3030-07RE
 Misc : 6.01G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 25 08:37:58 2018
 Quant Method : W:\HPCHEM1\MSVOA_W\METHOD\SOM2WLM052218S.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 25 07:55:38 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	242735	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.64	117	205352	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	63036	25.00	ug/L	0.00

System Monitoring Compounds


4) Vinyl Chloride-d3	2.34	65	73592	23.64	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.56%
7) Chloroethane-d5	2.89	69	63344	22.75	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.00%
10) 1,1-Dichloroethene-d2	4.00	63	84795	15.55	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.20%
20) 2-Butanone-d5	7.09	46	70984	55.90	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	111.80%
24) Chloroform-d	7.65	84	144003	24.75	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	99.00%
26) 1,2-Dichloroethane-d4	8.31	65	94122	26.79	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	107.16%
29) Benzene-d6	8.27	84	251200	25.72	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	102.88%
33) 1,2-Dichloropropane-d6	9.28	67	88413	28.01	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	112.04%
37) Toluene-d8	10.33	98	217288	22.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.16%
38) trans-1,3-Dichloropropene-	10.59	79	30835	20.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.72%
39) 2-Hexanone-d5	10.93	63	54193	60.51	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	121.02%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	84722	24.49	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	97.96%
61) 1,2-Dichlorobenzene-d4	13.87	152	54709	23.61	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.44%


Target Compounds					Ovalue
13) Acetone	4.12	43	26210	23.33 ug/L	90
15) Methyl Acetate	4.67	43	7654	3.74 ug/L #	83
44) Toluene	10.39	91	48260	3.97 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA W\DATA\VW052418\
Data File : VW002847.D
Acq On : 24 May 2018 15:20
Operator : JC/SY
Sample : J3030-07RE
Misc : 6.01G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 25 08:37:58 2018
Quant Method : W:\HPCHEM1\MSVOA_W\METHOD\SOM2WLM052218S.M
Quant Title : VOC Analysis
QLast Update : Fri May 25 07:55:38 2018
Response via : Initial Calibration





#13

Acetone

Concen: 23.33 ug/L

RT: 4.12 min Scan# 415

Delta R.T. 0.00 min

Lab File: VW002847.D





Acq: 24 May 2018 15:20

Tot Ion: 43 Resp: 26210

Ion Ratio Lower Upper

43 100

58 35.4 0.0 59.8



#15

Methyl Acetate

Concen: 3.74 ug/L

RT: 4.67 min Scan# 506

Delta R.T. 0.00 min

Lab File: VW002847.D




Acq: 24 May 2018 15:20


Tgt Ion: 43 Resp: 7654

Ion Ratio Lower Upper

43 100

74 15.0 18.8 28.2#





#44

Toluene

Concen: 3.97 ug/L

RT: 10.39 min Scan# 1444

Delta R.T. 0.00 min

Lab File: VW002847.D

Acq: 24 May 2018 15:20

Tot Ion: 91 Resp: 48260

Ion Ratio Lower Upper

91 100

92 54.6 39.5 73.4

