

Data File : VW002876.D
Acq On : 25 May 2018 16:33
Operator : JC/SY
Sample : J3078-01
Misc : 5.00G/5ML/MSVOA_W/SOIL
ALS Vial : 10 Sample Multiplier: 1

Quant Time: May 26 00:59:13 2018
Quant Method : W:\HPCHEM1\MSVOA_W\METHOD\82W051518S.M
Quant Title : SW846 8260
QLast Update : Tue May 15 03:32:11 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
-----	-----	-----	-----	-----	-----	-----
1) Pentafluorobenzene	7.95	168	97038	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.85	114	179533	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.64	117	157530	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.57	152	60416	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	101041	100.76	ug/l	0.00
Spiked Amount 50.000			Recovery	=	201.52%	
35) Dibromofluoromethane	7.88	113	89290	78.40	ug/l	0.00
Spiked Amount 50.000			Recovery	=	156.80%	
50) Toluene-d8	10.33	98	256354	59.16	ug/l	0.00
Spiked Amount 50.000			Recovery	=	118.32%	
62) 4-Bromofluorobenzene	12.63	95	78614	49.61	ug/l	0.00
Spiked Amount 50.000			Recovery	=	99.22%	
Target Compounds						Qvalue
20) Methylene Chloride	4.91	84	19681	21.82	ug/l	98
-----	-----	-----	-----	-----	-----	-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA_W\DATA\VW052518\

Quantitation Report (QT/LSC Reviewed)

Data File : VW002876.D

Acq On : 25 May 2018 16:33

Operator : JC/SY

Sample : J3078-01

Misc : 5.00G/5ML/MSVOA_W/SOIL

ALS Vial : 10 Sample Multiplier: 1


Quant Time: May 26 00:59:13 2018


Quant Method : W:\HPCHEM1\MSVOA_W\METHOD\82W051518S.M

Quant Title : SW846 8260

QLast Update : Tue May 15 03:32:11 2018

Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 7.95 min Scan# 1044

Delta R.T. 0.01 min

Lab File: VW002876.D


Acq: 25 May 2018 16:33

Tgt Ion: 168 Resp: 97038

Ion Ratio Lower Upper

168 100

99 51.7 42.6 64.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

40000

30000



20000

10000

0

7.85 7.90 7.95 8.00 8.05

Time-->



#20

Methylene Chloride

Concen: 21.82 ug/l

RT: 4.91 min Scan# 545

Delta R.T. 0.01 min

Lab File: VW002876.D

Acq: 25 May 2018 16:33

Tgt Ion: 84 Resp: 19681


Ion Ratio Lower Upper

84 100

49 127.0 99.4 149.0

51 35.6 29.0 43.6

86 60.5 50.3 75.5



Abundance Ion 83.90 (83.60 to 84.60): VW

Ion 48.90 (48.60 to 49.60): VW

Ion 50.90 (50.60 to 51.60): VW

Ion 85.90 (85.60 to 86.60): VW

10000

8000

6000


4000


2000

0

4.80 4.90 5.00 5.10

Time-->





#33

1,2-Dichloroethane-d4

Concen: 100.76 ug/l

RT: 8.31 min Scan# 1103

Delta R.T. 0.01 min

Lab File: VW002876.D





Acq: 25 May 2018 16:33

Tgt Ion: 65 Resp: 101041

Ion Ratio Lower Upper

65 100

67 51.1 0.0 104.4



#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 8.85 min Scan# 1191

Delta R.T. 0.01 min

Lab File: VW002876.D

Acq: 25 May 2018 16:33




Tgt Ion: 114 Resp: 179533


Ion Ratio Lower Upper

114 100

63 20.1 0.0 43.2


88 14.1 0.0 29.2








#35
Dibromofluoromethane
Concen: 78.40 ug/l
RT: 7.88 min Scan# 1033
Delta R.T. -0.00 min
Lab File: VW002876.D
Acq: 25 May 2018 16:33

Tgt Ion	Ratio	Lower	Upper
113	100		
111	104.4	81.8	122.8
192	21.9	17.5	26.3




Abundance Ion 112.80 (112.50 to 113.50): V
Ion 110.80 (110.50 to 111.50): V
Ion 191.70 (191.40 to 192.40): V






#50
Toluene-d8
Concen: 59.16 ug/l
RT: 10.33 min Scan# 1434
Delta R.T. -0.00 min
Lab File: VW002876.D
Acq: 25 May 2018 16:33

Tgt Ion	Ratio	Lower	Upper
98	100		
100	63.1	51.0	76.4



Abundance Ion 98.00 (97.70 to 98.70): VW
Ion 100.00 (99.70 to 100.70): VW





#62

4-Bromofluorobenzene

Concen: 49.61 ug/l

RT: 12.63 min Scan# 1811

Delta R.T. -0.00 min

Lab File: VW002876.D

Acq: 25 May 2018 16:33


Tgt Ion: 95 Resp: 78614

Ion Ratio Lower Upper

95 100

174 90.3 0.0 176.6




176 85.9 0.0 172.2



Abundance Ion 94.90 (94.60 to 95.60): VW

Ion 173.80 (173.50 to 174.50): VW

Ion 175.80 (175.50 to 176.50): VW



#63

Chlorobenzene-d5

Concen: 50.00 ug/l

RT: 11.64 min Scan# 1649

Delta R.T. 0.00 min

Lab File: VW002876.D

Acq: 25 May 2018 16:33


Tgt Ion: 117 Resp: 157530

Ion Ratio Lower Upper

117 100

82 53.2 42.6 64.0



119 32.3 25.0 37.6




Abundance Ion 116.90 (116.60 to 117.60): VW

Ion 82.00 (81.70 to 82.70): VW


Ion 118.90 (118.60 to 119.60): VW





#72
 1,4-Dichlorobenzene-d4
 Concen: 50.00 ug/l
 RT: 13.57 min Scan# 1965
 Delta R.T. -0.01 min
 Lab File: VW002876.D
 Acq: 25 May 2018 16:33

Tgt Ion	Ratio	Lower	Upper
152	100		
115	56.0	28.0	84.0
150	155.4	0.0	345.4



Abundance

Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

