

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052522\
 Data File : VW023318.D
 Acq On : 25 May 2022 13:59
 Operator : SY/VA
 Sample : N2996-16
 Misc : 5.39g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GBGT7

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/26/2022
 Supervised By :Mahesh Dadoda 05/26/2022

Quant Time: May 26 01:31:37 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 26 01:27:55 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	388704	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	370855	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	195276	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	118855	14.904	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	59.600%		
7) Chloroethane-d5	2.879	69	84697	16.325	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	65.280%		
11) 1,1-Dichloroethene-d2	4.019	63	125582m	12.187	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	48.760%		
21) 2-Butanone-d5	7.074	46	92704	61.140	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	122.280%		
24) Chloroform-d	7.647	84	258388	22.689	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	90.760%		
26) 1,2-Dichloroethane-d4	8.305	65	149317m	23.906	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	95.640%		
32) Benzene-d6	8.275	84	463374	21.677	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	86.720%		
36) 1,2-Dichloropropane-d6	9.274	67	146603	24.415	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	97.680%		
41) Toluene-d8	10.323	98	431014	20.873	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	83.480%		
43) trans-1,3-Dichloroprop...	10.579	79	63594	23.002	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	92.000%		
47) 2-Hexanone-d5	10.920	63	78494	68.479	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	136.960%#		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	161580	28.871	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	115.480%		
66) 1,2-Dichlorobenzene-d4	13.847	152	167650	24.560	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	98.240%		
Target Compounds					Qvalue	
13) Acetone	4.123	43	52236	46.014	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052522\
Data File : VW023318.D
Acq On : 25 May 2022 13:59
Operator : SY/VA
Sample : N2996-16
Misc : 5.39g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
GBGT7

Quant Time: May 26 01:31:37 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Thu May 26 01:27:55 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 05/26/2022
Supervised By : Mahesh Dadoda 05/26/2022





#13

Acetone

Concen: 46.014 ug/L

RT: 4.123 min Scan# 30

Delta R.T. 0.006 min

Lab File: VW023318.D

Acq: 25 May 2022 13:59

Instrument :

MSVOA_W

ClientSampleId :

GBGT7

Tgt Ion: 43 Resp: 52230

Ion Ratio Lower Upper

43 100

58 30.4 0.0 64.0

Manual Integrations

APPROVED

Reviewed By :Semsettin Yesilyurt 05/26/2022

Supervised By :Mahesh Dadoda 05/26/2022

