

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052522\
 Data File : VW023330.D
 Acq On : 25 May 2022 19:27
 Operator : SY/VA
 Sample : VW0525SBL02
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK518

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/26/2022
 Supervised By :Mahesh Dadoda 05/26/2022

Quant Time: May 26 04:52:10 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 26 04:46:06 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.835	114	301462	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	304808	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	155108	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	120692	19.514	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	78.040%	
7) Chloroethane-d5	2.879	69	78156	19.423	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	77.680%	
11) 1,1-Dichloroethene-d2	4.013	63	118433	14.820	ug/L	-0.01
Spiked Amount	25.000	Range 45 - 110	Recovery	=	59.280%	
21) 2-Butanone-d5	7.080	46	63435	53.943	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	107.880%	
24) Chloroform-d	7.647	84	217895	24.671	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	98.680%	
26) 1,2-Dichloroethane-d4	8.305	65	124862m	25.776	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	103.120%	
32) Benzene-d6	8.275	84	414723	23.605	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	94.440%	
36) 1,2-Dichloropropane-d6	9.268	67	122885	24.900	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	99.600%	
41) Toluene-d8	10.323	98	390694	23.020	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	92.080%	
43) trans-1,3-Dichloroprop...	10.579	79	50687	22.306	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	89.240%	
47) 2-Hexanone-d5	10.920	63	48300	51.268	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	102.540%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	118064	25.667	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	102.680%	
66) 1,2-Dichlorobenzene-d4	13.847	152	137763	25.408	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	101.640%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052522\
Data File : VW023330.D
Acq On : 25 May 2022 19:27
Operator : SY/VA
Sample : VW0525SBL02
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK518

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 05/26/2022
Supervised By : Mahesh Dadoda 05/26/2022

Quant Time: May 26 04:52:10 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Thu May 26 04:46:06 2022
Response via : Initial Calibration

