

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052522\
 Data File : VW023340.D
 Acq On : 25 May 2022 23:52
 Operator : SY/VA
 Sample : N2995-16
 Misc : 5.09g/10mL/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GBGR7

Quant Time: May 26 05:16:33 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 26 04:46:06 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	305029	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	319920	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	153236	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	80347	12.839	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	51.360%
7) Chloroethane-d5	2.885	69	60095	14.760	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	59.040%
11) 1,1-Dichloroethene-d2	4.019	63	83968	10.384	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	41.520%#
21) 2-Butanone-d5	7.080	46	59263	49.806	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	99.620%
24) Chloroform-d	7.647	84	183731	20.559	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.240%
26) 1,2-Dichloroethane-d4	8.305	65	106970	21.824	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	87.280%
32) Benzene-d6	8.275	84	321164	17.417	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	69.680%
36) 1,2-Dichloropropane-d6	9.275	67	104230	20.122	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	80.480%
41) Toluene-d8	10.323	98	291263	16.351	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	65.400%
43) trans-1,3-Dichloroprop...	10.579	79	41425	17.369	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	69.480%
47) 2-Hexanone-d5	10.927	63	48284	48.830	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.660%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	115240	23.869	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.480%
66) 1,2-Dichlorobenzene-d4	13.853	152	118473	22.117	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.480%
Target Compounds						
13) Acetone	4.135	43	5403	6.065	ug/L	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052522\
Data File : VW023340.D
Acq On : 25 May 2022 23:52
Operator : SY/VA
Sample : N2995-16
Misc : 5.09g/10mL/MSVOA_W/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GBGR7

Quant Time: May 26 05:16:33 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Thu May 26 04:46:06 2022
Response via : Initial Calibration





#13
Acetone
Concen: 6.065 ug/L
RT: 4.135 min Scan# 30
Delta R.T. 0.018 min
Lab File: VW023340.D
Acq: 25 May 2022 23:52

Instrument :
MSVOA_W
ClientSampleId :
GBGR7

Tgt Ion: 43 Resp: 5403
Ion Ratio Lower Upper
43 100
58 30.7 0.0 64.0

