

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW052720\
 Data File : VW015508.D
 Acq On : 27 May 2020 16:45
 Operator : SY/VA
 Sample : L2753-03RE
 Misc : 6.61G/10.0mL/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAXE4RE

Quant Time: May 28 03:22:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM052620S.M
 Quant Title : VOC Analysis
 QLast Update : Thu May 28 01:49:49 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	310633	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	229096	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	62363	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	80219	28.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	112.72%
7) Chloroethane-d5	2.89	69	74927	26.47	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	105.88%
10) 1,1-Dichloroethene-d2	4.01	63	117846	16.99	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.96%
20) 2-Butanone-d5	7.08	46	49706	53.48	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	106.96%
24) Chloroform-d	7.65	84	171279	23.84	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.36%
26) 1,2-Dichloroethane-d4	8.31	65	103718	25.95	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	103.80%
29) Benzene-d6	8.27	84	329475	29.32	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	117.28%
33) 1,2-Dichloropropane-d6	9.27	67	105095	30.78	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	123.12%#
37) Toluene-d8	10.32	98	280899	25.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	102.88%
38) trans-1,3-Dichloropropene-	10.58	79	41362	26.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	104.76%
39) 2-Hexanone-d5	10.93	63	42059	71.15	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	142.30%#
48) 1,1,2,2-Tetrachloroethane-	12.69	84	76529	29.77	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	119.08%
61) 1,2-Dichlorobenzene-d4	13.85	152	48175	23.05	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.20%

Target Compounds


					Ovalue
13) Acetone	4.12	43	43111	60.003 ug/L	99
16) Methylene chloride	4.91	84	6048	1.586 ug/L	95
21) 2-Butanone	7.18	43	9238	8.370 ug/L	92
22) cis-1,2-Dichloroethene	7.17	96	59336	14.329 ug/L	99
34) Benzene	8.32	78	10417	0.813 ug/L	100
35) Trichloroethene	9.09	95	49531	14.393 ug/L	99
44) Toluene	10.39	91	18294	1.311 ug/L	96
47) Tetrachloroethene	10.86	164	2432339	891.624 ug/L	95
54) m,p-Xylene	11.84	106	6881	1.144 ug/L	99
55) o-xylene	12.16	106	2856	0.500 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW052720\
Data File : VW015508.D
Acq On : 27 May 2020 16:45
Operator : SY/VA
Sample : L2753-03RE
Misc : 6.61G/10.0mL/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAXE4RE

Quant Time: May 28 03:22:42 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM052620S.M
Quant Title : VOC Analysis
QLast Update : Thu May 28 01:49:49 2020
Response via : Initial Calibration





#13

Acetone

Concen: 60.003 ug/L

RT: 4.12 min Scan# 364

Delta R.T. -0.01 min

Lab File: VW015508.D

Acq: 27 May 2020 16:45

Instrument :

MSVOA_W

ClientSampleId :





GAXE4RE

Tot Ion: 43 Resp: 43111

Ion Ratio Lower Upper

43 100

58 27.7 0.0 56.8



#16

Methylene chloride

Concen: 1.586 ug/L

RT: 4.91 min Scan# 493

Delta R.T. -0.01 min

Lab File: VW015508.D

Acq: 27 May 2020 16:45




Tgt Ion: 84 Resp: 6048


Ion Ratio Lower Upper

84 100

49 126.1 93.0 172.8

86 67.3 44.7 83.1





#21

2-Butanone

Concen: 8.370 ug/L

RT: 7.18 min Scan# 865

Delta R.T. 0.00 min

Lab File: VW015508.D

Acq: 27 May 2020 16:45

Instrument :

MSVOA_W

ClientSampleId :





GAXE4RE

Tot Ion: 43 Resp: 9238

Ion Ratio Lower Upper

43 100

72 30.8 13.3 39.9



#22

cis-1,2-Dichloroethene

Concen: 14.329 ug/L

RT: 7.17 min Scan# 864

Delta R.T. 0.00 min

Lab File: VW015508.D

Acq: 27 May 2020 16:45




Tgt Ion: 96 Resp: 59336


Ion Ratio Lower Upper

96 100

61 133.0 93.7 173.9

98 65.2 45.1 83.9





#34

Benzene

Concen: 0.813 ug/L

RT: 8.32 min Scan# 1053

Delta R.T. 0.00 min

Lab File: VW015508.D

Acq: 27 May 2020 16:45


Instrument :

MSVOA_W




ClientSampleId :

GAXE4RE

Tgt Ion: 78 Resp: 10417



Abundance Ion 78.00 (77.70 to 78.70): VW



#35

Trichloroethene

Concen: 14.393 ug/L

RT: 9.09 min Scan# 1179

Delta R.T. 0.00 min

Lab File: VW015508.D

Acq: 27 May 2020 16:45

Tgt Ion: 95 Resp: 49531




Ion	Ratio	Lower	Upper
95	100		
97	65.2	45.4	84.2
132	96.4	67.1	124.7
130	101.6	69.4	128.8


Abundance Ion 95.00 (94.70 to 95.70): VW

Ion 97.00 (96.70 to 97.70): VW

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V





#44

Toluene

Concen: 1.311 ug/L

RT: 10.39 min Scan# 1392

Delta R.T. 0.00 min

Lab File: VW015508.D

Acq: 27 May 2020 16:45

Instrument :

MSVOA_W

ClientSampleId :





GAXE4RE

Tot Ion: 91 Resp: 18294

Ion Ratio Lower Upper

91 100

92 56.3 41.7 77.5



#47

Tetrachloroethene

Concen: 891.624 ug/L

RT: 10.86 min Scan# 1469

Delta R.T. -0.01 min

Lab File: VW015508.D

Acq: 27 May 2020 16:45

Tgt Ion:164 Resp: 2432339




Ion Ratio Lower Upper


164 100

129 95.9 66.3 123.1

131 95.1 65.1 120.9

166 118.1 90.8 168.6









#54
m,p-Xylene
Concen: 1.144 ug/L
RT: 11.84 min Scan# 1630
Delta R.T. 0.00 min
Lab File: VW015508.D
Acq: 27 May 2020 16:45

Instrument :
MSVOA_W
ClientSampled :
GAXE4RE

Tot Ion:106 Resp: 6881
Ion Ratio Lower Upper
106 100
91 202.3 142.6 264.8




Abundance Ion 106.00 (105.70 to 106.70): V
Ion 91.00 (90.70 to 91.70): VW



#55
o-xylene
Concen: 0.500 ug/L
RT: 12.16 min Scan# 1683
Delta R.T. 0.00 min
Lab File: VW015508.D
Acq: 27 May 2020 16:45

Tgt Ion:106 Resp: 2856
Ion Ratio Lower Upper
106 100
91 219.7 149.0 276.6



Abundance Ion 106.00 (105.70 to 106.70): V
Ion 91.00 (90.70 to 91.70): VW

