

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW053019\
 Data File : VW010627.D
 Acq On : 30 May 2019 21:00
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: May 31 08:55:47 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W052019S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 21 06:38:43 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	80	0.00
2 T	Dichlorodifluoromethane	0.468	0.399	14.7	69	0.00
3 P	Chloromethane	0.525	0.443	15.6	64	0.00
4 C	Vinyl Chloride	0.609	0.489	19.7#	63	0.00
5 T	Bromomethane	0.419	0.403	3.8	77	0.00
6 T	Chloroethane	0.391	0.348	11.0	68	0.00
7 T	Trichlorofluoromethane	0.898	0.929	-3.5	83	0.00
8 T	Diethyl Ether	0.285	0.311	-9.1	87	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.553	0.579	-4.7	84	0.00
10 T	Methyl Iodide	0.632	0.520	17.7	62	0.00
11 T	Tert butyl alcohol	0.046	0.045	2.2	82	0.02
12 CM	1,1-Dichloroethene	0.528	0.549	-4.0#	83	0.00
13 T	Acrolein	0.032	0.028	12.5	97	0.00
14 T	Allyl chloride	0.764	0.755	1.2	78	0.00
15 T	Acrylonitrile	0.119	0.125	-5.0	85	0.00
16 T	Acetone	0.105	0.093	11.4	69	0.00
17 T	Carbon Disulfide	1.575	1.406	10.7	69	0.00
18 T	Methyl Acetate	0.258	0.285	-10.5	97	0.00
19 T	Methyl tert-butyl Ether	1.346	1.505	-11.8	89	0.00
20 T	Methylene Chloride	0.751	0.587	21.8#	73	0.00
21 T	trans-1,2-Dichloroethene	0.606	0.639	-5.4	84	0.00
22 T	Diisopropyl ether	1.568	1.672	-6.6	84	0.00
23 T	Vinyl Acetate	0.936	0.984	-5.1	82	0.00
24 P	1,1-Dichloroethane	0.935	1.016	-8.7	85	0.00
25 T	2-Butanone	0.151	0.159	-5.3	86	0.00
26 T	2,2-Dichloropropane	0.891	0.869	2.5	78	0.00
27 T	cis-1,2-Dichloroethene	0.659	0.727	-10.3	87	0.00
28 T	Bromochloromethane	0.335	0.389	-16.1	91	0.00
29 T	Tetrahydrofuran	0.102	0.106	-3.9	86	0.00
30 C	Chloroform	1.009	1.143	-13.3#	89	0.00
31 T	Cyclohexane	0.980	0.923	5.8	78	0.00
32 T	1,1,1-Trichloroethane	0.964	1.027	-6.5	84	0.00
33 S	1,2-Dichloroethane-d4	0.516	0.578	-12.0	89	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	81	0.00
35 S	Dibromofluoromethane	0.303	0.339	-11.9	89	0.00
36 T	1,1-Dichloropropene	0.466	0.486	-4.3	84	0.00
37 T	Ethyl Acetate	0.198	0.208	-5.1	85	0.00
38 T	Carbon Tetrachloride	0.502	0.526	-4.8	83	0.00
39 T	Methylcyclohexane	0.624	0.627	-0.5	80	0.00
40 TM	Benzene	1.295	1.416	-9.3	87	0.00
41 T	Methacrylonitrile	0.118	0.117	0.8	85	0.00
42 TM	1,2-Dichloroethane	0.370	0.407	-10.0	88	0.00
43 T	Isopropyl Acetate	0.396	0.413	-4.3	85	0.00
44 TM	Trichloroethene	0.384	0.423	-10.2	87	0.00
45 C	1,2-Dichloropropane	0.307	0.335	-9.1#	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW053019\
 Data File : VW010627.D
 Acq On : 30 May 2019 21:00
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: May 31 08:55:47 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W052019S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 21 06:38:43 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.180	0.204	-13.3	90	0.00
47 T	Bromodichloromethane	0.452	0.488	-8.0	85	0.00
48 T	Methyl methacrylate	0.181	0.187	-3.3	84	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	76	0.00
50 S	Toluene-d8	1.159	1.281	-10.5	87	0.00
51 T	4-Methyl-2-Pentanone	0.201	0.217	-8.0	88	0.00
52 CM	Toluene	0.869	0.949	-9.2#	87	0.00
53 T	t-1,3-Dichloropropene	0.458	0.478	-4.4	83	0.00
54 T	cis-1,3-Dichloropropene	0.523	0.559	-6.9	85	0.00
55 T	1,1,2-Trichloroethane	0.259	0.295	-13.9	91	0.00
56 T	Ethyl methacrylate	0.357	0.384	-7.6	86	0.00
57 T	1,3-Dichloropropane	0.433	0.490	-13.2	90	0.00
58 T	2-Chloroethyl Vinyl ether	0.158	0.173	-9.5	91	0.00
59 T	2-Hexanone	0.143	0.147	-2.8	84	0.00
60 T	Dibromochloromethane	0.327	0.366	-11.9	89	0.00
61 T	1,2-Dibromoethane	0.262	0.299	-14.1	90	0.00
62 S	4-Bromofluorobenzene	0.462	0.506	-9.5	90	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	81	0.00
64 T	Tetrachloroethene	0.349	0.423	-21.2#	98	0.00
65 PM	Chlorobenzene	1.066	1.182	-10.9	90	0.00
66 T	1,1,1,2-Tetrachloroethane	0.382	0.424	-11.0	89	0.00
67 C	Ethyl Benzene	1.881	2.005	-6.6#	86	0.00
68 T	m/p-Xylenes	0.738	0.790	-7.0	86	0.00
69 T	o-Xylene	0.699	0.758	-8.4	88	0.00
70 T	Styrene	1.186	1.308	-10.3	89	0.00
71 P	Bromoform	0.210	0.225	-7.1	86	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	82	0.00
73 T	Isopropylbenzene	3.968	4.089	-3.0	85	0.00
74 T	N-amyl acetate	0.909	0.881	3.1	82	0.00
75 P	1,1,2,2-Tetrachloroethane	0.722	0.758	-5.0	90	0.00
76 T	1,2,3-Trichloropropane	0.508	0.526	-3.5	89	0.00
77 T	Bromobenzene	0.888	0.994	-11.9	92	0.00
78 T	n-propylbenzene	4.624	4.658	-0.7	84	0.00
79 T	2-Chlorotoluene	2.681	2.776	-3.5	87	0.00
80 T	1,3,5-Trimethylbenzene	3.360	3.413	-1.6	84	0.00
81 T	trans-1,4-Dichloro-2-butene	0.243	0.223	8.2	76	0.00
82 T	4-Chlorotoluene	2.783	2.864	-2.9	86	0.00
83 T	tert-Butylbenzene	2.935	2.981	-1.6	84	0.00
84 T	1,2,4-Trimethylbenzene	3.347	3.399	-1.6	84	0.00
85 T	sec-Butylbenzene	4.108	4.129	-0.5	84	0.00
86 T	p-Isopropyltoluene	3.718	3.735	-0.5	83	0.00
87 T	1,3-Dichlorobenzene	1.742	1.877	-7.7	88	0.00
88 T	1,4-Dichlorobenzene	1.748	1.891	-8.2	88	0.00
89 T	n-Butylbenzene	3.537	3.433	2.9	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW053019\
Data File : VW010627.D
Acq On : 30 May 2019 21:00
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: May 31 08:55:47 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W052019S.M
Quant Title : SW846 8260
QLast Update : Tue May 21 06:38:43 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.720	0.730	-1.4	82	0.00
91 T	1,2-Dichlorobenzene	1.587	1.720	-8.4	89	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.134	0.130	3.0	81	0.00
93 T	1,2,4-Trichlorobenzene	1.080	1.161	-7.5	84	0.00
94 T	Hexachlorobutadiene	0.577	0.616	-6.8	83	0.00
95 T	Naphthalene	2.267	2.375	-4.8	83	0.00
96 T	1,2,3-Trichlorobenzene	0.929	1.008	-8.5	85	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6