

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW053019\
 Data File : VW010622.D
 Acq On : 30 May 2019 18:43
 Operator : SY/VA
 Sample : K3097-11
 Misc : 5.02G/5ML/MSVOA W/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 0431-HR-11(HACKENSACK)

Quant Time: May 31 08:45:35 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W052019S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 21 06:38:43 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	12169	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	19642	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	16529	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	6260	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.31	65	6050	48.17	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	96.34%	
35) Dibromofluoromethane	7.88	113	5507	46.21	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	92.42%	
50) Toluene-d8	10.32	98	23471	51.55	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	103.10%	
62) 4-Bromofluorobenzene	12.62	95	8194	45.18	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	90.36%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW053019\
Data File : VW010622.D
Acq On : 30 May 2019 18:43
Operator : SY/VA
Sample : K3097-11
Misc : 5.02G/5ML/MSVOA W/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
0431-HR-11(HACKENSACK)

Quant Time: May 31 08:45:35 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W052019S.M
Quant Title : SW846 8260
QLast Update : Tue May 21 06:38:43 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 992

Delta R.T. -0.00 min

Lab File: VW010622.D

Acq: 30 May 2019 18:43

Instrument :

MSVOA_W

ClientSampleId :


0431-HR-11(HACKENSACK)

Tot Ion:168 Resp: 12169

Ion Ratio Lower Upper




168 100

99 57.8 46.1 69.1



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#33

1,2-Dichloroethane-d4

Concen: 48.167 ug/l

RT: 8.31 min Scan# 1050

Delta R.T. -0.00 min

Lab File: VW010622.D


Acq: 30 May 2019 18:43

Tgt Ion: 65 Resp: 6050

Ion Ratio Lower Upper



65 100


67 56.5 0.0 103.6



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.84 min Scan# 1138

Delta R.T. -0.00 min

Lab File: VW010622.D

Acq: 30 May 2019 18:43

Instrument :

MSVOA_W

ClientSampleId :

0431-HR-11(HACKENSACK)


Tot Ion:114 Resp: 19642

Ion Ratio Lower Upper

114 100

63 20.9 0.0 36.0




88 15.1 0.0 32.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VW

Ion 87.90 (87.60 to 88.60): VW



#35

Dibromofluoromethane

Concen: 46.206 ug/l

RT: 7.88 min Scan# 981

Delta R.T. -0.00 min

Lab File: VW010622.D

Acq: 30 May 2019 18:43


Tgt Ion:113 Resp: 5507

Ion Ratio Lower Upper

113 100

111 100.7 82.2 123.4



192 18.4 14.3 21.5




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 51.549 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. -0.00 min

Lab File: VW010622.D

Acq: 30 May 2019 18:43

Instrument :

MSVOA_W

ClientSampleId :





0431-HR-11(HACKENSACK)

Tot Ion: 98 Resp: 23471

Ion Ratio Lower Upper

98 100

100 67.2 53.7 80.5



#62

4-Bromofluorobenzene

Concen: 45.182 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. -0.00 min

Lab File: VW010622.D

Acq: 30 May 2019 18:43




Tgt Ion: 95 Resp: 8194


Ion Ratio Lower Upper

95 100

174 70.8 0.0 148.6

176 70.6 0.0 144.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. -0.00 min
Lab File: VW010622.D
Acq: 30 May 2019 18:43

Instrument :
MSVOA_W
ClientSampleId :
0431-HR-11(HACKENSACK)

Tot Ion:117 Resp: 16529
Ion Ratio Lower Upper
117 100
82 54.0 42.8 64.2
119 30.2 26.3 39.5



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.56 min Scan# 1912
Delta R.T. -0.00 min
Lab File: VW010622.D
Acq: 30 May 2019 18:43

Tgt Ion:152 Resp: 6260
Ion Ratio Lower Upper
152 100
115 60.4 30.3 91.0
150 153.6 0.0 349.8

