

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW060619\
 Data File : VW010701.D
 Acq On : 06 Jun 2019 10:55
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 07 08:02:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W060419S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 05 03:21:19 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	92	0.00
2 T	Dichlorodifluoromethane	0.462	0.469	-1.5	109	0.00
3 P	Chloromethane	0.680	0.708	-4.1	109	0.00
4 C	Vinyl Chloride	0.628	0.658	-4.8#	107	0.00
5 T	Bromomethane	0.345	0.356	-3.2	108	0.00
6 T	Chloroethane	0.377	0.397	-5.3	103	0.00
7 T	Trichlorofluoromethane	0.815	0.894	-9.7	108	0.00
8 T	Diethyl Ether	0.291	0.279	4.1	94	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.501	0.550	-9.8	106	0.00
10 T	Methyl Iodide	0.443	0.532	-20.1#	105	0.00
11 T	Tert butyl alcohol	0.048	0.048	0.0	103	0.00
12 CM	1,1-Dichloroethene	0.484	0.528	-9.1#	107	0.00
13 T	Acrolein	0.020	0.019	5.0	90	0.00
14 T	Allyl chloride	1.066	1.188	-11.4	107	0.00
15 T	Acrylonitrile	0.142	0.133	6.3	95	0.00
16 T	Acetone	0.158	0.173	-9.5	102	0.00
17 T	Carbon Disulfide	1.535	1.697	-10.6	110	0.00
18 T	Methyl Acetate	0.340	0.298	12.4	92	0.00
19 T	Methyl tert-butyl Ether	1.395	1.351	3.2	95	0.00
20 T	Methylene Chloride	0.554	0.556	-0.4	101	0.00
21 T	trans-1,2-Dichloroethene	0.549	0.597	-8.7	104	0.00
22 T	Diisopropyl ether	2.134	2.249	-5.4	101	0.00
23 T	Vinyl Acetate	1.288	1.320	-2.5	98	0.00
24 P	1,1-Dichloroethane	1.070	1.154	-7.9	105	0.00
25 T	2-Butanone	0.219	0.217	0.9	94	0.00
26 T	2,2-Dichloropropane	0.870	1.033	-18.7	115	0.00
27 T	cis-1,2-Dichloroethene	0.604	0.647	-7.1	104	0.00
28 T	Bromochloromethane	0.477	0.508	-6.5	100	0.00
29 T	Tetrahydrofuran	0.138	0.125	9.4	92	0.00
30 C	Chloroform	0.978	1.055	-7.9#	105	0.00
31 T	Cyclohexane	1.189	1.238	-4.1	107	0.00
32 T	1,1,1-Trichloroethane	0.855	0.946	-10.6	107	0.00
33 S	1,2-Dichloroethane-d4	0.589	0.599	-1.7	95	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	90	0.00
35 S	Dibromofluoromethane	0.271	0.306	-12.9	98	0.00
36 T	1,1-Dichloropropene	0.512	0.569	-11.1	106	0.00
37 T	Ethyl Acetate	0.284	0.273	3.9	94	0.00
38 T	Carbon Tetrachloride	0.442	0.504	-14.0	106	0.00
39 T	Methylcyclohexane	0.651	0.729	-12.0	105	0.00
40 TM	Benzene	1.396	1.525	-9.2	104	0.00
41 T	Methacrylonitrile	0.169	0.164	3.0	94	0.00
42 TM	1,2-Dichloroethane	0.443	0.467	-5.4	100	0.00
43 T	Isopropyl Acetate	0.548	0.523	4.6	92	0.00
44 TM	Trichloroethene	0.344	0.377	-9.6	105	0.00
45 C	1,2-Dichloropropane	0.370	0.397	-7.3#	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW060619\
 Data File : VW010701.D
 Acq On : 06 Jun 2019 10:55
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 07 08:02:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W060419S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 05 03:21:19 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.172	0.176	-2.3	98	0.00
47 T	Bromodichloromethane	0.445	0.485	-9.0	102	0.00
48 T	Methyl methacrylate	0.264	0.255	3.4	91	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	100	0.00
50 S	Toluene-d8	1.190	1.287	-8.2	98	0.00
51 T	4-Methyl-2-Pentanone	0.280	0.266	5.0	92	0.00
52 CM	Toluene	0.859	0.941	-9.5#	103	0.00
53 T	t-1,3-Dichloropropene	0.471	0.511	-8.5	101	0.00
54 T	cis-1,3-Dichloropropene	0.555	0.608	-9.5	102	0.00
55 T	1,1,2-Trichloroethane	0.247	0.249	-0.8	95	0.00
56 T	Ethyl methacrylate	0.381	0.380	0.3	94	0.00
57 T	1,3-Dichloropropane	0.466	0.475	-1.9	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.199	0.197	1.0	100	0.00
59 T	2-Hexanone	0.202	0.199	1.5	93	0.00
60 T	Dibromochloromethane	0.274	0.288	-5.1	98	0.00
61 T	1,2-Dibromoethane	0.234	0.234	0.0	95	0.00
62 S	4-Bromofluorobenzene	0.433	0.464	-7.2	98	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	91	0.00
64 T	Tetrachloroethene	0.332	0.350	-5.4	99	0.00
65 PM	Chlorobenzene	0.983	1.063	-8.1	102	0.00
66 T	1,1,1,2-Tetrachloroethane	0.340	0.371	-9.1	101	0.00
67 C	Ethyl Benzene	1.890	2.090	-10.6#	105	0.00
68 T	m/p-Xylenes	0.676	0.749	-10.8	105	0.00
69 T	o-Xylene	0.642	0.699	-8.9	103	0.00
70 T	Styrene	1.114	1.217	-9.2	103	0.00
71 P	Bromoform	0.176	0.181	-2.8	96	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00
73 T	Isopropylbenzene	3.757	4.221	-12.4	106	0.00
74 T	N-amyl acetate	1.214	1.217	-0.2	96	0.00
75 P	1,1,2,2-Tetrachloroethane	0.715	0.687	3.9	92	0.00
76 T	1,2,3-Trichloropropane	0.525	0.503	4.2	93	0.00
77 T	Bromobenzene	0.820	0.874	-6.6	100	0.00
78 T	n-propylbenzene	4.531	5.118	-13.0	106	0.00
79 T	2-Chlorotoluene	2.588	2.885	-11.5	105	0.00
80 T	1,3,5-Trimethylbenzene	3.075	3.476	-13.0	107	0.00
81 T	trans-1,4-Dichloro-2-butene	0.228	0.234	-2.6	96	0.00
82 T	4-Chlorotoluene	2.671	2.978	-11.5	106	0.00
83 T	tert-Butylbenzene	2.610	2.935	-12.5	106	0.00
84 T	1,2,4-Trimethylbenzene	3.095	3.501	-13.1	107	0.00
85 T	sec-Butylbenzene	3.800	4.332	-14.0	107	0.00
86 T	p-Isopropyltoluene	3.398	3.855	-13.4	107	0.00
87 T	1,3-Dichlorobenzene	1.582	1.737	-9.8	103	0.00
88 T	1,4-Dichlorobenzene	1.568	1.709	-9.0	105	0.00
89 T	n-Butylbenzene	3.391	3.929	-15.9	108	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW060619\
Data File : VW010701.D
Acq On : 06 Jun 2019 10:55
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Jun 07 08:02:58 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W060419S.M
Quant Title : SW846 8260
QLast Update : Wed Jun 05 03:21:19 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.609	0.715	-17.4	108	0.00
91 T	1,2-Dichlorobenzene	1.422	1.507	-6.0	102	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.123	0.119	3.3	95	0.00
93 T	1,2,4-Trichlorobenzene	0.998	1.120	-12.2	104	0.00
94 T	Hexachlorobutadiene	0.626	0.727	-16.1	110	0.00
95 T	Naphthalene	1.814	1.864	-2.8	96	0.00
96 T	1,2,3-Trichlorobenzene	0.849	0.947	-11.5	103	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6