

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060821\
 Data File : VW019160.D
 Acq On : 08 Jun 2021 15:53
 Operator : SY/VA
 Sample : M2649-05
 Misc : 5.71G/10ML/MSVOA_W/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG5J0

Quant Time: Jun 09 01:06:34 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jun 09 01:04:22 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	678466	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	601426	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	278328	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	200238	22.319	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	89.280%		
7) Chloroethane-d5	2.891	69	151628	19.844	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	79.360%		
11) 1,1-Dichloroethene-d2	4.019	63	277091	15.545	ug/L	-0.01
Spiked Amount 25.000	Range 45 - 110		Recovery =	62.200%		
21) 2-Butanone-d5	7.074	46	83292	35.443	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	70.880%		
24) Chloroform-d	7.647	84	385795	21.150	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	84.600%		
26) 1,2-Dichloroethane-d4	8.305	65	205121	20.048	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	80.200%		
32) Benzene-d6	8.275	84	791050	23.086	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	92.360%		
36) 1,2-Dichloropropane-d6	9.274	67	232125	22.346	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	89.400%		
41) Toluene-d8	10.323	98	715168	22.726	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	90.920%		
43) trans-1,3-Dichloroprop...	10.579	79	94482	21.001	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	84.000%		
47) 2-Hexanone-d5	10.926	63	66731	37.882	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	75.760%		
56) 1,1,2,2-Tetrachloroeth...	12.694	84	162420	18.954	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	75.800%		
66) 1,2-Dichlorobenzene-d4	13.853	152	211634	21.785	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	87.160%		
Target Compounds						Qvalue
16) Methylene chloride	4.921	84	23626	1.877	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060821\
Data File : VW019160.D
Acq On : 08 Jun 2021 15:53
Operator : SY/VA
Sample : M2649-05
Misc : 5.71G/10ML/MSVOA_W/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BG5J0

Quant Time: Jun 09 01:06:34 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jun 09 01:04:22 2021
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.877 ug/L
RT: 4.921 min Scan# 495
Delta R.T. -0.000 min
Lab File: VW019160.D
Acq: 08 Jun 2021 15:53

Instrument :
MSVOA_W
ClientSampleId :
BG5J0

Tgt Ion:	84	Resp:	23626
Ion	Ratio	Lower	Upper
84	100		
86	66.3	45.3	84.1
49	113.3	86.6	160.8

