

Data File : VW015566.D
Acq On : 09 Jun 2020 12:13
Operator : SY/VA
Sample : VW0609SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK03

Quant Time: Jun 10 03:29:33 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM052620S.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 09 12:46:40 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	330932	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	302526	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	133719	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	78162	25.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	103.08%
7) Chloroethane-d5	2.90	69	82044	27.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	108.80%
10) 1,1-Dichloroethene-d2	4.01	63	130675	17.68	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.72%
20) 2-Butanone-d5	7.08	46	49542	50.04	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.08%
24) Chloroform-d	7.65	84	185486	24.24	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.96%
26) 1,2-Dichloroethane-d4	8.31	65	107711	25.30	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.20%
29) Benzene-d6	8.28	84	365377	24.63	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.52%
33) 1,2-Dichloropropane-d6	9.27	67	111039	24.63	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	98.52%
37) Toluene-d8	10.33	98	350998	24.33	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.32%
38) trans-1,3-Dichloropropene-	10.58	79	44198	21.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.76%
39) 2-Hexanone-d5	10.93	63	39460	50.55	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.10%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	81017	23.86	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.44%
61) 1,2-Dichlorobenzene-d4	13.86	152	115498	25.77	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.08%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW015566.D
Acq On : 09 Jun 2020 12:13
Operator : SY/VA
Sample : VW0609SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK03

Quant Time: Jun 10 03:29:33 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM052620S.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 09 12:46:40 2020
Response via : Initial Calibration

