

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW061019\
 Data File : VW010744.D
 Acq On : 10 Jun 2019 14:46
 Operator : SY/VA
 Sample : K3273-04
 Misc : 4.49G/5ML/MSVOA_W/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 SB-1 9.0-9.5 060719

Quant Time: Jun 11 05:26:08 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W060419S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 05 03:21:19 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	209912	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	363182	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	322335	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	147318	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.31	65	147126	59.46	ug/l	0.00
Spiked Amount			Recovery	=	118.92%	
35) Dibromofluoromethane	7.88	113	109281	55.44	ug/l	0.00
Spiked Amount			Recovery	=	110.88%	
50) Toluene-d8	10.32	98	476783	55.16	ug/l	0.00
Spiked Amount			Recovery	=	110.32%	
62) 4-Bromofluorobenzene	12.62	95	174263	55.40	ug/l	0.00
Spiked Amount			Recovery	=	110.80%	


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
16) Acetone	4.13	43	3808	5.744	ug/l	91
20) Methylene Chloride	4.92	84	4401	1.892	ug/l	96
29) Tetrahydrofuran	7.52	42	647	1.119	ug/l #	78
31) Cyclohexane	7.95	56	6582	1.318	ug/l #	16
38) Carbon Tetrachloride	7.95	117	21317	6.642	ug/l #	17
76) 1,2,3-Trichloropropane	12.62	75	94985	61.398	ug/l #	100
81) trans-1,4-Dichloro-2-buten	12.62	75	94985	141.113	ug/l #	5


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW061019\
Data File : VW010744.D
Acq On : 10 Jun 2019 14:46
Operator : SY/VA
Sample : K3273-04
Misc : 4.49G/5ML/MSVOA_W/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
SB-1 9.0-9.5 060719

Quant Time: Jun 11 05:26:08 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W060419S.M
Quant Title : SW846 8260
QLast Update : Wed Jun 05 03:21:19 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 992

Delta R.T. 0.01 min

Lab File: VW010744.D

Acq: 10 Jun 2019 14:46

Instrument :

MSVOA_W

ClientSampleId :


SB-1 9.0-9.5 060719

Tgt Ion:168 Resp: 209912

Ion Ratio Lower Upper

168 100

99 60.1 47.7 71.5



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

100000

80000



60000

40000

20000

0

Time--> 7.80 7.90 8.00 8.10



#16

Acetone

Concen: 5.744 ug/l

RT: 4.13 min Scan# 365

Delta R.T. 0.01 min

Lab File: VW010744.D


Acq: 10 Jun 2019 14:46

Tgt Ion: 43 Resp: 3808

Ion Ratio Lower Upper

43 100

58 22.7 22.1 33.1



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW

4.13


1500


1000

500

0

Time--> 4.05 4.10 4.15 4.20 4.25









#20
Methylene Chloride
Concen: 1.892 ug/l
RT: 4.92 min Scan# 495
Delta R.T. 0.01 min
Lab File: VW010744.D
Acq: 10 Jun 2019 14:46




Instrument :
MSVOA_W
ClientSampleId :
SB-1 9.0-9.5 060719


Tgt Ion:	84	Resp:	4401
Ion	Ratio	Lower	Upper
84	100		
49	150.3	116.7	175.1
51	41.8	34.2	51.2
86	58.1	51.2	76.8



#29
Tetrahydrofuran
Concen: 1.119 ug/l
RT: 7.52 min Scan# 922
Delta R.T. -0.01 min
Lab File: VW010744.D
Acq: 10 Jun 2019 14:46

Tgt Ion:	42	Resp:	647
Ion	Ratio	Lower	Upper
42	100		
72	59.7	28.7	43.1#
71	31.7	26.6	39.8





#31

Cyclohexane

Concen: 1.318 ug/l

RT: 7.95 min Scan# 992

Delta R.T. -0.00 min

Lab File: VW010744.D

Acq: 10 Jun 2019 14:46

Instrument :

MSVOA_W

ClientSampleId :

SB-1 9.0-9.5 060719


Tgt Ion: 56 Resp: 6582

Ion Ratio Lower Upper




56 100

69 140.8 25.2 37.8#

84 111.2 62.2 93.2#



Abundance Ion 56.00 (55.70 to 56.70): VW
Ion 69.00 (68.70 to 69.70): VW
Ion 84.00 (83.70 to 84.70): VW



#33

1,2-Dichloroethane-d4

Concen: 59.465 ug/l

RT: 8.31 min Scan# 1050

Delta R.T. -0.00 min

Lab File: VW010744.D


Acq: 10 Jun 2019 14:46

Tgt Ion: 65 Resp: 147126



Ion Ratio Lower Upper


65 100

67 51.7 0.0 102.6



Abundance Ion 64.90 (64.60 to 65.60): VW
Ion 66.90 (66.60 to 67.60): VW





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.84 min Scan# 1138

Delta R.T. -0.00 min

Lab File: VW010744.D

Acq: 10 Jun 2019 14:46

Instrument :

MSVOA_W

ClientSampleId :

SB-1 9.0-9.5 060719


Tgt Ion:114 Resp: 363182

Ion Ratio Lower Upper

114 100

63 25.0 0.0 46.4




88 16.6 0.0 32.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VW

Ion 87.90 (87.60 to 88.60): VW



#35

Dibromofluoromethane

Concen: 55.437 ug/l

RT: 7.88 min Scan# 981

Delta R.T. -0.00 min

Lab File: VW010744.D

Acq: 10 Jun 2019 14:46


Tgt Ion:113 Resp: 109281

Ion Ratio Lower Upper

113 100

111 103.4 82.6 123.8



192 19.8 16.4 24.6




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#38
Carbon Tetrachloride
Concen: 6.642 ug/l
RT: 7.95 min Scan# 992
Delta R.T. -0.12 min
Lab File: VW010744.D
Acq: 10 Jun 2019 14:46

Instrument :
MSVOA_W
ClientSampleId :
SB-1 9.0-9.5 060719

Tgt Ion:117 Resp: 21317
Ion Ratio Lower Upper
117 100
119 4.3 74.2 111.4#
121 0.0 22.9 34.3#




Abundance Ion 116.80 (116.50 to 117.50): V
Ion 118.80 (118.50 to 119.50): V
Ion 120.80 (120.50 to 121.50): V






#50
Toluene-d8
Concen: 55.156 ug/l
RT: 10.32 min Scan# 1381
Delta R.T. -0.00 min
Lab File: VW010744.D
Acq: 10 Jun 2019 14:46

Tgt Ion: 98 Resp: 476783
Ion Ratio Lower Upper
98 100
100 65.6 53.0 79.6



Abundance Ion 98.00 (97.70 to 98.70): VW
Ion 100.00 (99.70 to 100.70): VW









#62
4-Bromofluorobenzene
Concen: 55.400 ug/l
RT: 12.62 min Scan# 1758
Delta R.T. -0.00 min
Lab File: VW010744.D
Acq: 10 Jun 2019 14:46




Instrument :
MSVOA_W
ClientSampleId :
SB-1 9.0-9.5 060719


Tgt Ion: 95 Resp: 174263
Ion Ratio Lower Upper
95 100
174 73.1 0.0 150.4
176 70.2 0.0 144.8



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. -0.00 min
Lab File: VW010744.D
Acq: 10 Jun 2019 14:46

Tgt Ion: 117 Resp: 322335
Ion Ratio Lower Upper
117 100
82 61.0 47.0 70.4
119 32.2 25.1 37.7





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.56 min Scan# 1912

Delta R.T. -0.00 min

Lab File: VW010744.D

Acq: 10 Jun 2019 14:46

Instrument :

MSVOA_W

ClientSampleId :

SB-1 9.0-9.5 060719


Tgt Ion: 152 Resp: 147318

Ion Ratio Lower Upper

152 100

115 61.1 29.8 89.3




150 156.3 0.0 345.0



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V



#76

1,2,3-Trichloropropane

Concen: 61.398 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. -0.15 min

Lab File: VW010744.D


Acq: 10 Jun 2019 14:46

Tgt Ion: 75 Resp: 94985

Ion Ratio Lower Upper



75 100




77 1.3 0.0 0.0#



Abundance Ion 74.90 (74.60 to 75.60): VW

Ion 77.00 (76.70 to 77.70): VW





#81

trans-1,4-Dichloro-2-butene

Concen: 141.113 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. 0.11 min

Lab File: VW010744.D

Acq: 10 Jun 2019 14:46

Instrument :

MSVOA_W

ClientSampleId :

SB-1 9.0-9.5 060719

Tgt Ion: 75 Resp: 94985

Ion Ratio Lower Upper

75 100

53 0.0 90.1 135.1#

89 0.0 34.6 52.0#

