

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW061220\
 Data File : VW015599.D
 Acq On : 12 Jun 2020 12:02
 Operator : SY/VA
 Sample : VIBLK11
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK11

Quant Time: Jun 15 11:18:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM052620S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jun 13 00:17:50 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	321264	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	294427	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	133563	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	62936	21.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.52%
7) Chloroethane-d5	2.90	69	69906	23.88	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.52%
10) 1,1-Dichloroethene-d2	4.01	63	110517	15.41	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.64%
20) 2-Butanone-d5	7.08	46	48355	50.31	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.62%
24) Chloroform-d	7.65	84	171067	23.03	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.12%
26) 1,2-Dichloroethane-d4	8.30	65	101114	24.46	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.84%
29) Benzene-d6	8.27	84	332619	23.04	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.16%
33) 1,2-Dichloropropane-d6	9.27	67	103218	23.52	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.08%
37) Toluene-d8	10.32	98	312040	22.23	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.92%
38) trans-1,3-Dichloropropene-	10.58	79	38306	18.87	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	75.48%
39) 2-Hexanone-d5	10.93	63	37367	49.19	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.38%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	77639	23.50	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.00%
61) 1,2-Dichlorobenzene-d4	13.85	152	105581	23.59	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.36%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	11683	2.963 ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW061220\
Data File : VW015599.D
Acq On : 12 Jun 2020 12:02
Operator : SY/VA
Sample : VIBLK11
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK11

Quant Time: Jun 15 11:18:35 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM052620S.M
Quant Title : VOC Analysis
QLast Update : Sat Jun 13 00:17:50 2020
Response via : Initial Calibration

