

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061523\
 Data File : VW026193.D
 Acq On : 15 Jun 2023 11:05
 Operator : SY/MD
 Sample : VW0615SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK518

Quant Time: Jun 16 06:20:49 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jun 14 23:24:58 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	659360	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	597270	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	271952	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	173975	18.756	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	75.040%		
7) Chloroethane-d5	2.899	69	155753	22.431	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	89.720%		
11) 1,1-Dichloroethene-d2	4.021	65	89550	19.579	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery =	78.320%		
21) 2-Butanone-d5	7.075	46	143074	52.980	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	105.960%		
24) Chloroform-d	7.648	84	392498	20.328	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery =	81.320%		
26) 1,2-Dichloroethane-d4	8.307	65	228840	21.674	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery =	86.680%		
32) Benzene-d6	8.276	84	788887	19.629	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery =	78.520%		
36) 1,2-Dichloropropane-d6	9.270	67	263968	20.732	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery =	82.920%		
41) Toluene-d8	10.325	98	660394	18.529	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery =	74.120%		
43) trans-1,3-Dichloroprop...	10.575	79	91275	18.090	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery =	72.360%		
47) 2-Hexanone-d5	10.922	63	91385	45.519	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	91.040%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	215707	23.281	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery =	93.120%		
66) 1,2-Dichlorobenzene-d4	13.848	152	215149	20.669	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery =	82.680%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061523\
 Data File : VW026193.D
 Acq On : 15 Jun 2023 11:05
 Operator : SY/MD
 Sample : VW0615SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK518

Quant Time: Jun 16 06:20:49 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jun 14 23:24:58 2023
 Response via : Initial Calibration

