

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061523\
 Data File : VW026199.D
 Acq On : 15 Jun 2023 13:29
 Operator : SY/MD
 Sample : 03234-16
 Misc : 4.26g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 YBTZ0

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 06/16/2023
 Supervised By :Mahesh Dadoda 06/16/2023

Quant Time: Jun 16 06:21:35 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jun 14 23:24:58 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	879210	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	762607	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	309252	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	240838	19.472	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	77.880%		
7) Chloroethane-d5	2.899	69	223059	24.091	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	96.360%		
11) 1,1-Dichloroethene-d2	4.021	65	127381	20.886	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	83.560%		
21) 2-Butanone-d5	7.075	46	175128	48.634	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	97.260%		
24) Chloroform-d	7.648	84	577758	22.440	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	89.760%		
26) 1,2-Dichloroethane-d4	8.301	65	319420m	22.688	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	90.760%		
32) Benzene-d6	8.276	84	1155592	22.520	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	90.080%		
36) 1,2-Dichloropropane-d6	9.270	67	385142	23.691	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	94.760%		
41) Toluene-d8	10.325	98	971180	21.341	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	85.360%		
43) trans-1,3-Dichloroprop...	10.575	79	125806	19.529	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	78.120%		
47) 2-Hexanone-d5	10.922	63	114684	44.739	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	89.480%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	276588	23.380	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	93.520%		
66) 1,2-Dichlorobenzene-d4	13.848	152	279845	23.642	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	94.560%		
Target Compounds						Qvalue
20) cis-1,2-Dichloroethene	7.167	96	88032	6.617	ug/L	98
34) Trichloroethene	9.093	95	84436	6.312	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061523\
Data File : VW026199.D
Acq On : 15 Jun 2023 13:29
Operator : SY/MD
Sample : 03234-16
Misc : 4.26g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
YBTZ0

Quant Time: Jun 16 06:21:35 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jun 14 23:24:58 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 06/16/2023
Supervised By : Mahesh Dadoda 06/16/2023









#20
cis-1,2-Dichloroethene
Concen: 6.617 ug/L
RT: 7.167 min Scan# 80
Delta R.T. -0.000 min
Lab File: VW026199.D
Acq: 15 Jun 2023 13:29

Instrument :
MSVOA_W
ClientSampleId :
YBTZ0

Tgt Ion: 96 Resp: 88032
Ion Ratio Lower Upper
96 100
61 139.5 98.4 182.8
98 60.0 45.2 84.0

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 06/16/2023
Supervised By :Mahesh Dadoda 06/16/2023



#34
Trichloroethene
Concen: 6.312 ug/L
RT: 9.093 min Scan# 1182
Delta R.T. -0.000 min
Lab File: VW026199.D
Acq: 15 Jun 2023 13:29

Tgt Ion: 95 Resp: 84436
Ion Ratio Lower Upper
95 100
97 63.1 45.9 85.3
132 89.6 67.1 124.7
130 94.4 68.0 126.2

