

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW061620\
 Data File : VW015605.D
 Acq On : 16 Jun 2020 14:21
 Operator : SY/VA
 Sample : VIBLK11
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK11

Quant Time: Jun 17 06:45:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM052620S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 17 06:26:29 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	309887	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	285110	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	129628	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	58199	20.49	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.96%
7) Chloroethane-d5	2.90	69	66690	23.61	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.44%
10) 1,1-Dichloroethene-d2	4.01	63	105876	15.30	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.20%
20) 2-Butanone-d5	7.09	46	46144	49.77	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	99.54%
24) Chloroform-d	7.65	84	166793	23.27	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.08%
26) 1,2-Dichloroethane-d4	8.31	65	96414	24.18	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.72%
29) Benzene-d6	8.28	84	324533	23.21	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.84%
33) 1,2-Dichloropropane-d6	9.28	67	99157	23.34	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.36%
37) Toluene-d8	10.32	98	302750	22.27	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	89.08%
38) trans-1,3-Dichloropropene-	10.58	79	39036	19.86	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	79.44%
39) 2-Hexanone-d5	10.93	63	36587	49.74	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	99.48%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	74762	23.37	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.48%
61) 1,2-Dichlorobenzene-d4	13.85	152	103481	23.82	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.28%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	6794	1.786 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW061620\
Data File : VW015605.D
Acq On : 16 Jun 2020 14:21
Operator : SY/VA
Sample : VIBLK11
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK11

Quant Time: Jun 17 06:45:35 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM052620S.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 17 06:26:29 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 1.786 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. 0.00 min
 Lab File: VW015605.D
 Acq: 16 Jun 2020 14:21

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK11

Tot Ion: 84 Resp: 6794
 Ion Ratio Lower Upper
 84 100
 49 120.1 93.0 172.8
 86 57.0 44.7 83.1

