

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061621\
 Data File : VW019231.D
 Acq On : 16 Jun 2021 15:16
 Operator : SY/VA
 Sample : VIBLK
 Misc : 5.00G/10ML/MSVOA_W/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Jun 17 01:27:33 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jun 17 01:25:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	529094	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.633	117	475548	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	226331	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	135447	19.360	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	77.440%		
7) Chloroethane-d5	3.031	69	300	0.050	ug/L	0.13
Spiked Amount	25.000	Range 30 - 150	Recovery =	0.200%#		
11) 1,1-Dichloroethene-d2	4.025	63	214309	15.417	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery =	61.680%		
21) 2-Butanone-d5	7.085	46	74012	40.385	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	80.780%		
24) Chloroform-d	7.652	84	330195	23.213	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery =	92.840%		
26) 1,2-Dichloroethane-d4	8.305	65	177564	22.254	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery =	89.000%		
32) Benzene-d6	8.274	84	644443	23.786	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery =	95.160%		
36) 1,2-Dichloropropane-d6	9.274	67	200787	24.445	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery =	97.800%		
41) Toluene-d8	10.323	98	570708	22.936	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery =	91.760%		
43) trans-1,3-Dichloroprop...	10.579	79	73870	20.765	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery =	83.080%		
47) 2-Hexanone-d5	10.926	63	60818	43.664	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	87.320%		
56) 1,1,2,2-Tetrachloroeth...	12.694	84	153351	22.633	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery =	90.520%		
66) 1,2-Dichlorobenzene-d4	13.853	152	182010	23.040	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery =	92.160%		
Target Compounds						
					Qvalue	
16) Methylene chloride	4.921	84	41995	4.278	ug/L	92
39) cis-1,3-Dichloropropene	10.036	75	5792	0.487	ug/L #	60
42) Toluene	10.390	91	11931	0.355	ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061621\
Data File : VW019231.D
Acq On : 16 Jun 2021 15:16
Operator : SY/VA
Sample : VIBLK
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Jun 17 01:27:33 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jun 17 01:25:38 2021
Response via : Initial Calibration









#16
Methylene chloride
Concen: 4.278 ug/L
RT: 4.921 min Scan# 495
Delta R.T. -0.000 min
Lab File: VW019231.D
Acq: 16 Jun 2021 15:16




Instrument :
MSVOA_W
ClientSampled :


Tgt Ion: 84 Resp: 41995
Ion Ratio Lower Upper
84 100
86 62.7 45.3 84.1
49 112.1 86.6 160.8



#39
cis-1,3-Dichloropropene
Concen: 0.487 ug/L
RT: 10.036 min Scan# 1334
Delta R.T. -0.037 min
Lab File: VW019231.D
Acq: 16 Jun 2021 15:16

Tgt Ion: 75 Resp: 5792
Ion Ratio Lower Upper
75 100
77 54.9 22.6 42.0#





#42
Toluene
Concen: 0.355 ug/L
RT: 10.390 min Scan# 1392
Delta R.T. -0.000 min
Lab File: VW019231.D
Acq: 16 Jun 2021 15:16

Instrument :
MSVOA_W
ClientSampleId :

Tgt Ion: 91 Resp: 11931
Ion Ratio Lower Upper
91 100
92 50.4 39.5 73.3

