

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW061719\
 Data File : VW010824.D
 Acq On : 17 Jun 2019 13:34
 Operator : SY/VA
 Sample : VIBLK41
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK41

Quant Time: Jun 18 07:26:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM061119S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 18 05:48:46 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	412258	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	367667	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	171587	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.34	65	120121	20.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.04%
7) Chloroethane-d5	2.88	69	93015	20.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.72%
10) 1,1-Dichloroethene-d2	4.01	63	198738	15.97	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.88%
20) 2-Butanone-d5	7.07	46	117285	49.79	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	99.58%
24) Chloroform-d	7.65	84	137077	16.18	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	64.72%
26) 1,2-Dichloroethane-d4	8.30	65	151010	21.88	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	87.52%
29) Benzene-d6	8.27	84	487531	22.21	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.84%
33) 1,2-Dichloropropane-d6	9.27	67	158599	22.52	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.08%
37) Toluene-d8	10.32	98	438697	22.24	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.96%
38) trans-1,3-Dichloropropene-	10.58	79	70198	22.26	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.04%
39) 2-Hexanone-d5	10.93	63	81815	48.62	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.24%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	134018	22.47	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.88%
61) 1,2-Dichlorobenzene-d4	13.86	152	145033	22.21	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.84%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW061719\
Data File : VW010824.D
Acq On : 17 Jun 2019 13:34
Operator : SY/VA
Sample : VIBLK41
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK41

Quant Time: Jun 18 07:26:11 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM061119S.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 18 05:48:46 2019
Response via : Initial Calibration

