

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW061720\
 Data File : VW015622.D
 Acq On : 17 Jun 2020 17:21
 Operator : SY/VA
 Sample : VIBLK17
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK17

Quant Time: Jun 18 07:47:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM052620S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 18 07:15:54 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	302402	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	278376	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	129833	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	58249	21.02	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.08%
7) Chloroethane-d5	2.90	69	67774	24.59	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.36%
10) 1,1-Dichloroethene-d2	4.02	63	103236	15.29	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.16%
20) 2-Butanone-d5	7.09	46	53247	58.85	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	117.70%
24) Chloroform-d	7.65	84	173948	24.87	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	99.48%
26) 1,2-Dichloroethane-d4	8.31	65	103468	26.59	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	106.36%
29) Benzene-d6	8.28	84	334679	24.51	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.04%
33) 1,2-Dichloropropane-d6	9.28	67	104840	25.27	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	101.08%
37) Toluene-d8	10.33	98	310801	23.42	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.68%
38) trans-1,3-Dichloropropene-	10.58	79	40513	21.11	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.44%
39) 2-Hexanone-d5	10.93	63	42097	58.61	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	117.22%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	85115	27.25	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	109.00%
61) 1,2-Dichlorobenzene-d4	13.86	152	111222	25.56	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	102.24%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	8696	2.343 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW061720\
Data File : VW015622.D
Acq On : 17 Jun 2020 17:21
Operator : SY/VA
Sample : VIBLK17
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK17

Quant Time: Jun 18 07:47:28 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM052620S.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 18 07:15:54 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.343 ug/L
RT: 4.92 min Scan# 494
Delta R.T. 0.01 min
Lab File: VW015622.D
Acq: 17 Jun 2020 17:21

Instrument :
MSVOA_W
ClientSampleId :
VIBLK17

Tot Ion: 84 Resp: 8696

Ion	Ratio	Lower	Upper
84	100		
49	123.5	93.0	172.8
86	61.3	44.7	83.1

