

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW062018\
 Data File : VW003352.D
 Acq On : 20 Jun 2018 15:06
 Operator : SY/AP
 Sample : J3568-08
 Misc : 5.55G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DAXS1

Quant Time: Jun 21 04:21:37 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 21 04:12:02 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	105496	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	83882	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	25572	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	50365	35.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	140.80%
7) Chloroethane-d5	2.89	69	39060	32.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	130.88%
10) 1,1-Dichloroethene-d2	4.00	63	71273	25.09	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	100.36%
20) 2-Butanone-d5	7.09	46	717	1.59	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	3.18%#
24) Chloroform-d	7.65	84	81722	29.45	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	117.80%
26) 1,2-Dichloroethane-d4	8.31	65	54080	32.79	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	131.16%#
29) Benzene-d6	8.28	84	145353	32.66	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	130.64%
33) 1,2-Dichloropropane-d6	9.28	67	51162	36.31	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	145.24%#
37) Toluene-d8	10.33	98	116292	27.33	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	109.32%
38) trans-1,3-Dichloropropene-	10.58	79	12366	18.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	74.80%
39) 2-Hexanone-d5	10.93	63	171	0.59	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	1.18%#
48) 1,1,2,2-Tetrachloroethane-	12.70	84	44007	33.57	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	134.28%#
61) 1,2-Dichlorobenzene-d4	13.87	152	28798	29.82	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	119.28%


Target Compounds					Qvalue
13) Acetone	4.11	43	1335	2.778 ug/L	99
16) Methylene chloride	4.90	84	4079	2.806 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW062018\
Data File : VW003352.D
Acq On : 20 Jun 2018 15:06
Operator : SY/AP
Sample : J3568-08
Misc : 5.55G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DAXS1

Quant Time: Jun 21 04:21:37 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 21 04:12:02 2018
Response via : Initial Calibration





#13

Acetone

Concen: 2.778 ug/L

RT: 4.11 min Scan# 414

Delta R.T. -0.04 min

Lab File: VW003352.D

Acq: 20 Jun 2018 15:06

Instrument :

MSVOA_W

ClientSampleId :





DAXS1

Tgt Ion: 43 Resp: 1335

Ion Ratio Lower Upper

43 100

58 28.9 0.0 58.6



#16

Methylene chloride

Concen: 2.806 ug/L

RT: 4.90 min Scan# 544

Delta R.T. -0.01 min

Lab File: VW003352.D

Acq: 20 Jun 2018 15:06

Tgt Ion: 84 Resp: 4079

Ion Ratio Lower Upper

84 100

49 118.5 88.7 164.7

86 66.5 44.2 82.0

