

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW062018\
 Data File : VW003364.D
 Acq On : 20 Jun 2018 20:37
 Operator : SY/AP
 Sample : J3569-09
 Misc : 3.64G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DAXR0

Quant Time: Jun 21 05:31:34 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 21 05:02:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	12775	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	5710	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	1141	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	11130	64.24	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	256.96%#
7) Chloroethane-d5	2.88	69	9841	68.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	272.32%#
10) 1,1-Dichloroethene-d2	4.01	63	13196	38.36	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	153.44%#
20) 2-Butanone-d5	7.08	46	8628	158.04	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	316.08%#
24) Chloroform-d	7.65	84	20451	60.86	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	243.44%#
26) 1,2-Dichloroethane-d4	8.31	65	12093	60.56	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	242.24%#
29) Benzene-d6	8.27	84	23915	78.93	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	315.72%#
33) 1,2-Dichloropropane-d6	9.28	67	12540	130.76	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	523.04%#
37) Toluene-d8	10.33	98	13626	47.04	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	188.16%#
38) trans-1,3-Dichloropropene-	10.58	79	2363	52.48	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	209.92%#
39) 2-Hexanone-d5	10.93	63	3441	175.54	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	351.08%#
48) 1,1,2,2-Tetrachloroethane-	12.70	84	12350	138.41	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	553.64%#
61) 1,2-Dichlorobenzene-d4	13.87	152	1435	33.30	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	133.20%#

Target Compounds						Ovalue
13) Acetone	4.13	43	6892	118.43	ug/L	73
16) Methylene chloride	4.91	84	2819	16.01	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW062018\
Data File : VW003364.D
Acq On : 20 Jun 2018 20:37
Operator : SY/AP
Sample : J3569-09
Misc : 3.64G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DAXR0

Quant Time: Jun 21 05:31:34 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 21 05:02:42 2018
Response via : Initial Calibration

