

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062123\
 Data File : VW026287.D
 Acq On : 21 Jun 2023 16:23
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK477

Quant Time: Jun 22 01:36:00 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jun 22 01:33:30 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	638540	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	583756	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	258365	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	154920	17.246	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	69.000%	
7) Chloroethane-d5	2.893	69	147695	21.964	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	87.840%	
11) 1,1-Dichloroethene-d2	4.015	65	79352	17.915	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	71.640%	
21) 2-Butanone-d5	7.081	46	137572	52.604	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	105.200%	
24) Chloroform-d	7.648	84	404592	21.637	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	86.560%	
26) 1,2-Dichloroethane-d4	8.307	65	229853	22.480	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	89.920%	
32) Benzene-d6	8.276	84	762004	19.399	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	77.600%	
36) 1,2-Dichloropropane-d6	9.276	67	263142	21.146	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	84.600%	
41) Toluene-d8	10.325	98	625154	17.946	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	71.800%	
43) trans-1,3-Dichloroprop...	10.575	79	88877	18.023	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	72.080%	
47) 2-Hexanone-d5	10.922	63	89420	45.571	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	91.140%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	214786	23.718	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	94.880%	
66) 1,2-Dichlorobenzene-d4	13.848	152	216807	21.924	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	87.680%	
Target Compounds						
16) Methylene chloride	4.923	84	58725	5.762	ug/L	Qvalue 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062123\
Data File : VW026287.D
Acq On : 21 Jun 2023 16:23
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK477


Quant Time: Jun 22 01:36:00 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jun 22 01:33:30 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 5.762 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW026287.D
Acq: 21 Jun 2023 16:23

Instrument :
MSVOA_W
ClientSampleId :
VIBLK477



Tgt Ion: 84 Resp: 58725

Ion	Ratio	Lower	Upper
84	100		
86	63.5	44.2	82.0
49	131.2	98.8	183.6

