

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062124\
 Data File : VW029293.D
 Acq On : 21 Jun 2024 10:34
 Operator : SY/MD
 Sample : VW0621SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK510

Quant Time: Jun 21 22:53:40 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 21 22:53:01 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	270803	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	257176	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	113064	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	81418	21.722	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	86.880%		
7) Chloroethane-d5	2.899	69	66962	21.155	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	84.640%		
11) 1,1-Dichloroethene-d2	4.021	65	38800	21.439	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	85.760%		
21) 2-Butanone-d5	7.075	46	48742	43.465	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	86.940%		
24) Chloroform-d	7.648	84	184241	22.807	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	91.240%		
26) 1,2-Dichloroethane-d4	8.300	65	104352	22.499	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	90.000%		
32) Benzene-d6	8.270	84	359930	23.042	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	92.160%		
36) 1,2-Dichloropropane-d6	9.270	67	116248	23.411	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	93.640%		
41) Toluene-d8	10.324	98	321614	23.271	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	93.080%		
43) trans-1,3-Dichloroprop...	10.581	79	42634	21.306	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	85.240%		
47) 2-Hexanone-d5	10.922	63	33315	42.799	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	85.600%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	85138	21.543	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	86.160%		
66) 1,2-Dichlorobenzene-d4	13.848	152	108041	27.530	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	110.120%		
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	17415	3.657	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062124\
Data File : VW029293.D
Acq On : 21 Jun 2024 10:34
Operator : SY/MD
Sample : VW0621SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK510

Quant Time: Jun 21 22:53:40 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 21 22:53:01 2024
Response via : Initial Calibration

