

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062124\
 Data File : VW029304.D
 Acq On : 21 Jun 2024 15:58
 Operator : SY/MD
 Sample : P2963-22
 Misc : 5.68g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4CS3

Quant Time: Jun 21 22:57:10 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 21 22:53:01 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	425595	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	357801	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	120980	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	107554	18.258	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	73.040%		
7) Chloroethane-d5	2.899	69	97093	19.518	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	78.080%		
11) 1,1-Dichloroethene-d2	4.021	65	53619	18.852	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	75.400%		
21) 2-Butanone-d5	7.075	46	79312	45.002	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	90.000%		
24) Chloroform-d	7.648	84	261413	20.591	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	82.360%		
26) 1,2-Dichloroethane-d4	8.307	65	150562	20.655	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	82.640%		
32) Benzene-d6	8.276	84	501227	23.063	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	92.240%		
36) 1,2-Dichloropropane-d6	9.270	67	165180	23.910	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	95.640%		
41) Toluene-d8	10.325	98	403236	20.972	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	83.880%		
43) trans-1,3-Dichloroprop...	10.575	79	57927	20.808	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	83.240%		
47) 2-Hexanone-d5	10.922	63	55087	50.866	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	101.740%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	116075	21.111	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	84.440%		
66) 1,2-Dichlorobenzene-d4	13.848	152	93696	22.312	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	89.240%		
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	17375	2.322	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062124\
Data File : VW029304.D
Acq On : 21 Jun 2024 15:58
Operator : SY/MD
Sample : P2963-22
Misc : 5.68g/10mL/MSVOA_W/SOIL/B
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4CS3

Quant Time: Jun 21 22:57:10 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 21 22:53:01 2024
Response via : Initial Calibration

