

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062223\
 Data File : VW026295.D
 Acq On : 22 Jun 2023 11:17
 Operator : SY/MD
 Sample : 03307-12
 Misc : 5.08g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Quant Time: Jun 23 01:03:44 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 23 01:02:45 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	663462	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	602444	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	261124	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	150039	16.075	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	64.320%
7) Chloroethane-d5	2.893	69	146640	20.988	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.960%
11) 1,1-Dichloroethene-d2	4.021	65	80275	17.443	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.760%
21) 2-Butanone-d5	7.081	46	143476	52.801	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	105.600%
24) Chloroform-d	7.648	84	406146	20.904	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.600%
26) 1,2-Dichloroethane-d4	8.197	65	131	0.012	ug/L	-0.10
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.040%#
32) Benzene-d6	8.276	84	781834	19.287	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	77.160%
36) 1,2-Dichloropropane-d6	9.270	67	267414	20.822	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	83.280%
41) Toluene-d8	10.325	98	635721	17.683	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	70.720%
43) trans-1,3-Dichloroprop...	10.575	79	89927	17.670	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	70.680%
47) 2-Hexanone-d5	10.922	63	89812	44.351	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.700%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	219508	23.488	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.960%
66) 1,2-Dichlorobenzene-d4	13.849	152	214435	21.455	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	85.800%
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	40475	3.822	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062223\
Data File : VW026295.D
Acq On : 22 Jun 2023 11:17
Operator : SY/MD
Sample : 03307-12
Misc : 5.08g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001

Quant Time: Jun 23 01:03:44 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 23 01:02:45 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.822 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.012 min
Lab File: VW026295.D
Acq: 22 Jun 2023 11:17

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001

Tgt Ion: 84 Resp: 40475
Ion Ratio Lower Upper
84 100
86 63.7 44.2 82.0
49 136.7 98.8 183.6

