

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062321\
 Data File : VW019297.D
 Acq On : 23 Jun 2021 17:30
 Operator : SY/VA
 Sample : M2825-05RE
 Misc : 4.29G/10ML/MSVOA_W/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGDQ9RE

Manual Integrations
 APPROVED

MMDadoda
 6/24/2021 4:32:23 PM

Quant Time: Jun 24 01:14:51 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jun 24 01:10:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	469882	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	372313	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	114517	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	143485	23.093	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	92.360%	
7) Chloroethane-d5	2.898	69	121977	23.049	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	92.200%	
11) 1,1-Dichloroethene-d2	4.025	63	206729	16.746	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	67.000%	
21) 2-Butanone-d5	7.086	46	61548	37.816	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	75.640%	
24) Chloroform-d	7.653	84	312041	24.701	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	98.800%	
26) 1,2-Dichloroethane-d4	8.311	65	164184m	23.170	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	92.680%	
32) Benzene-d6	8.275	84	608561	28.689	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	114.760%	
36) 1,2-Dichloropropane-d6	9.275	67	185377	28.827	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	115.320%	
41) Toluene-d8	10.323	98	500216	25.677	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	102.720%	
43) trans-1,3-Dichloroprop...	10.579	79	67776	24.335	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	97.360%	
47) 2-Hexanone-d5	10.927	63	48872	44.817	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	89.640%	
56) 1,1,2,2-Tetrachloroeth...	12.695	84	113116	21.324	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	85.280%	
66) 1,2-Dichlorobenzene-d4	13.853	152	95048	23.779	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	95.120%	
Target Compounds						Qvalue
13) Acetone	4.141	43	40042	27.764	ug/L	89
16) Methylene chloride	4.922	84	45675	5.239	ug/L	94
22) 2-Butanone	7.183	43	16602	8.609	ug/L	82

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062321\
Data File : VW019297.D
Acq On : 23 Jun 2021 17:30
Operator : SY/VA
Sample : M2825-05RE
Misc : 4.29G/10ML/MSVOA_W/SOIL
ALS Vial : 10 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BGDQ9RE

Manual Integrations
APPROVED

MMDadoda
6/24/2021 4:32:23 PM

Quant Time: Jun 24 01:14:51 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jun 24 01:10:00 2021
Response via : Initial Calibration









#13
Acetone
Concen: 27.764 ug/L
RT: 4.141 min Scan# 367
Delta R.T. 0.000 min
Lab File: VW019297.D
Acq: 23 Jun 2021 17:30

Tgt Ion: 43 Resp: 40042
Ion Ratio Lower Upper
43 100
58 32.6 0.0 53.8

Instrument :
MSVOA_W
ClientSampleId :
BGDQ9RE




Manual Integrations
APPROVED


MMDadoda
6/24/2021 4:32:23 PM



#16
Methylene chloride
Concen: 5.239 ug/L
RT: 4.922 min Scan# 495
Delta R.T. 0.000 min
Lab File: VW019297.D
Acq: 23 Jun 2021 17:30

Tgt Ion: 84 Resp: 45675
Ion Ratio Lower Upper
84 100
86 65.4 45.3 84.1
49 113.4 86.6 160.8





#22
 2-Butanone
 Concen: 8.609 ug/L
 RT: 7.183 min Scan# 866
 Delta R.T. 0.006 min
 Lab File: VW019297.D
 Acq: 23 Jun 2021 17:30

Tgt Ion: 43 Resp: 16602
 Ion Ratio Lower Upper
 43 100
 72 20.3 14.9 44.7

Instrument :
 MSVOA_W
 ClientSampleId :
 BGDQ9RE

Manual Integrations
 APPROVED

MMDadoda
 6/24/2021 4:32:23 PM

