

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062421\
 Data File : VW019311.D
 Acq On : 24 Jun 2021 16:31
 Operator : SY/VA
 Sample : M2808-13
 Misc : 4.95G/10ML/MSVOA_W/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Jun 25 01:19:19 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 25 01:15:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	524548	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	450453	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	169386	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	165748	23.896	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.600%
7) Chloroethane-d5	2.898	69	144816	24.513	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.040%
11) 1,1-Dichloroethene-d2	4.025	63	247637	17.969	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	71.880%
21) 2-Butanone-d5	7.080	46	70037	38.547	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	77.100%
24) Chloroform-d	7.653	84	367254	26.042	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	104.160%
26) 1,2-Dichloroethane-d4	8.311	65	189650	23.975	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.880%
32) Benzene-d6	8.275	84	713239	27.791	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	111.160%
36) 1,2-Dichloropropane-d6	9.274	67	219032	28.152	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	112.600%
41) Toluene-d8	10.323	98	630400	26.746	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	107.000%
43) trans-1,3-Dichloroprop...	10.579	79	71966	21.357	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.440%
47) 2-Hexanone-d5	10.927	63	55104	41.766	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.540%
56) 1,1,2,2-Tetrachloroeth...	12.695	84	141704	22.079	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.320%
66) 1,2-Dichlorobenzene-d4	13.853	152	161731	27.356	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	109.440%
Target Compounds	Qvalue					
13) Acetone	4.141	43	18617	11.563	ug/L	81
14) Carbon disulfide	4.391	76	7625	0.324	ug/L	98
22) 2-Butanone	7.183	43	6150	2.857	ug/L	97
34) Trichloroethene	8.842	95	16407	2.124	ug/L #	5
48) 2-Hexanone	10.927	43	8144	2.795	ug/L #	67


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062421\
Data File : VW019311.D
Acq On : 24 Jun 2021 16:31
Operator : SY/VA
Sample : M2808-13
Misc : 4.95G/10ML/MSVOA_W/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Jun 25 01:19:19 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 25 01:15:57 2021
Response via : Initial Calibration









#13
Acetone
Concen: 11.563 ug/L
RT: 4.141 min Scan# 367
Delta R.T. 0.000 min
Lab File: VW019311.D
Acq: 24 Jun 2021 16:31




Instrument :
MSVOA_W
ClientSampleId :


Tgt Ion: 43 Resp: 18617
Ion Ratio Lower Upper
43 100
58 17.2 0.0 53.8



#14
Carbon disulfide
Concen: 0.324 ug/L
RT: 4.391 min Scan# 408
Delta R.T. 0.000 min
Lab File: VW019311.D
Acq: 24 Jun 2021 16:31

Tgt Ion: 76 Resp: 7625
Ion Ratio Lower Upper
76 100
78 8.4 7.4 11.0









#22
2-Butanone
Concen: 2.857 ug/L
RT: 7.183 min Scan# 866
Delta R.T. 0.006 min
Lab File: VW019311.D
Acq: 24 Jun 2021 16:31




Instrument :
MSVOA_W
ClientSampled :


Tgt Ion: 43 Resp: 6150
Ion Ratio Lower Upper
43 100
72 28.4 14.9 44.7



#34
Trichloroethene
Concen: 2.124 ug/L
RT: 8.842 min Scan# 1138
Delta R.T. -0.250 min
Lab File: VW019311.D
Acq: 24 Jun 2021 16:31

Tgt Ion: 95 Resp: 16407
Ion Ratio Lower Upper
95 100
97 0.0 47.3 87.8#
132 0.0 71.0 131.8#
130 0.0 65.1 120.9#





#48

2-Hexanone


Concen: 2.795 ug/L

RT: 10.927 min Scan# 1480

Delta R.T. -0.043 min

Lab File: VW019311.D

Acq: 24 Jun 2021 16:31



Tgt Ion: 43 Resp: 8144



Ion Ratio Lower Upper

43 100

58 24.8 42.7 64.1#

57 27.1 15.8 23.8#

100 0.9 10.0 15.0#



Instrument :
MSVOA_W
ClientSampleId :