

Quantitation Report (Qedit)

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062421\
 Data File : VW019303.D
 Acq On : 24 Jun 2021 13:12
 Operator : SY/VA
 Sample : M2808-09
 Misc : 4.63G/10ML/MSVOA_W/SOIL
 ALS Vial : 5 Sample Multiplier: 1




Instrument :
 MSVOA_W
 ClientSampleId :
 BGDR4

Manual Integrations
 APPROVED

MMDadoda

6/25/2021 1:46:55 PM

Quant Time: Jun 25 01:18:01 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 25 01:15:57 2021
 Response via : Initial Calibration



TIC: VW019303.D\data.ms

(13) Acetone (T)

4.141min (-0.000) 1.99 ug/L

response 3729

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.90	76.03#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062421\
 Data File : VW019303.D
 Acq On : 24 Jun 2021 13:12
 Operator : SY/VA
 Sample : M2808-09
 Misc : 4.63G/10ML/MSVOA_W/SOIL
 ALS Vial : 5 Sample Multiplier: 1




Instrument :
 MSVOA_W
 ClientSampleId :
 BGDR4

Manual Integrations
 APPROVED

MMDadoda

6/25/2021 1:46:55 PM

Quant Time: Jun 25 01:18:01 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 25 01:15:57 2021
 Response via : Initial Calibration



TIC: VW019303.D\data.ms

(13) Acetone (T)

4.153min (+ 0.012) 4.60 ug/L m

response 8623

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.90	32.88
0.00	0.00	0.00
0.00	0.00	0.00

206/25/2021 Sy

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062421\
 Data File : VW019303.D
 Acq On : 24 Jun 2021 13:12
 Operator : SY/VA
 Sample : M2808-09
 Misc : 4.63G/10ML/MSVOA_W/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGDR4

Manual Integrations
 APPROVED

MMDadoda

6/25/2021 1:46:55 PM

Quant Time: Jun 25 01:18:01 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 25 01:15:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	610430	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	538955	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	241726	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	173125	21.448	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	85.800%		
7) Chloroethane-d5	2.897	69	145779	21.205	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	84.800%		
11) 1,1-Dichloroethene-d2	4.025	63	255340	15.921	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery =	63.680%		
21) 2-Butanone-d5	7.092	46	62060	29.351	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	58.700%		
24) Chloroform-d	7.653	84	358727	21.858	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery =	87.440%		
26) 1,2-Dichloroethane-d4	8.311	65	181082	19.671	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery =	78.680%		
32) Benzene-d6	8.275	84	713799	23.246	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery =	93.000%		
36) 1,2-Dichloropropane-d6	9.274	67	212840	22.864	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery =	91.440%		
41) Toluene-d8	10.323	98	637900	22.620	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery =	90.480%		
43) trans-1,3-Dichloroprop...	10.579	79	79491	19.716	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery =	78.880%		
47) 2-Hexanone-d5	10.927	63	49891	31.605	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	63.220%		
56) 1,1,2,2-Tetrachloroeth...	12.694	84	137027	17.844	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery =	71.360%		
66) 1,2-Dichlorobenzene-d4	13.853	152	197069	23.357	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery =	93.440%		
Target Compounds						
13) Acetone	4.153	43	8623m	4.602	ug/L	99
14) Carbon disulfide	4.391	76	18360	0.671	ug/L	89
16) Methylene chloride	4.915	84	20927	1.848	ug/L	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062421\
Data File : VW019303.D
Acq On : 24 Jun 2021 13:12
Operator : SY/VA
Sample : M2808-09
Misc : 4.63G/10ML/MSVOA_W/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampled :
BGDR4

Manual Integrations
APPROVED

MMDadoda

6/25/2021 1:46:55 PM

Quant Time: Jun 25 01:18:01 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 25 01:15:57 2021
Response via : Initial Calibration

