

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW062518\
 Data File : VW003565.D
 Acq On : 26 Jun 2018 01:12
 Operator : SY/AP
 Sample : VIBLK91
 Misc : 5.00G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK91

Quant Time: Jun 26 04:22:23 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 26 03:05:07 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	259569	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	247269	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	115272	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	67861	19.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.12%
7) Chloroethane-d5	2.89	69	58052	19.76	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.04%
10) 1,1-Dichloroethene-d2	4.20	63	105	0.02	ug/L	0.19
Spiked Amount	25.000	Range	45 - 110	Recovery	=	0.08%#
20) 2-Butanone-d5	7.09	46	73961	66.68	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	133.36%
24) Chloroform-d	7.65	84	151214	22.15	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.60%
26) 1,2-Dichloroethane-d4	8.31	65	98449	24.26	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.04%
29) Benzene-d6	8.28	84	279417	21.30	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	85.20%
33) 1,2-Dichloropropane-d6	9.28	67	92433	22.26	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	89.04%
37) Toluene-d8	10.33	98	253238	20.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.76%
38) trans-1,3-Dichloropropene-	10.58	79	38003	19.49	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.96%
39) 2-Hexanone-d5	10.93	63	53624	63.17	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	126.34%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	101577	26.29	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	105.16%
61) 1,2-Dichlorobenzene-d4	13.87	152	99487	22.85	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	91.40%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW062518\
Data File : VW003565.D
Acq On : 26 Jun 2018 01:12
Operator : SY/AP
Sample : VIBLK91
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK91

Quant Time: Jun 26 04:22:23 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 26 03:05:07 2018
Response via : Initial Calibration

