

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW062518\
 Data File : VW003553.D
 Acq On : 25 Jun 2018 18:26
 Operator : SY/AP
 Sample : J3641-02
 Misc : 5.12G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DAZC0

Quant Time: Jun 26 04:07:31 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 26 03:05:07 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	44134	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	68530	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	34026	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	3000	5.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	20.04%#
7) Chloroethane-d5	2.89	69	5903	11.82	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	47.28%
10) 1,1-Dichloroethene-d2	4.01	63	7232	6.08	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	24.32%#
20) 2-Butanone-d5	7.09	46	46494	246.51	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	493.02%#
24) Chloroform-d	7.65	84	42974	37.02	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	148.08%
26) 1,2-Dichloroethane-d4	8.31	65	47751	69.22	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	276.88%#
29) Benzene-d6	8.28	84	59197	16.28	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	65.12%
33) 1,2-Dichloropropane-d6	9.28	67	34071	29.60	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	118.40%
37) Toluene-d8	10.33	98	50211	14.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	57.76%
38) trans-1,3-Dichloropropene-	10.59	79	17436	32.27	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	129.08%
39) 2-Hexanone-d5	10.93	63	27299	116.04	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	232.08%#
48) 1,1,2,2-Tetrachloroethane-	12.70	84	59501	55.56	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	222.24%#
61) 1,2-Dichlorobenzene-d4	13.86	152	36915	28.72	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	114.88%

Target Compounds						Ovalue
13) Acetone	4.12	43	7205	35.84	ug/L	79
15) Methyl Acetate	4.68	43	1194	3.62	ug/L	# 87
16) Methylene chloride	4.90	84	6977	11.47	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW062518\
Data File : VW003553.D
Acq On : 25 Jun 2018 18:26
Operator : SY/AP
Sample : J3641-02
Misc : 5.12G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DAZC0

Quant Time: Jun 26 04:07:31 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 26 03:05:07 2018
Response via : Initial Calibration

