

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW062519\
 Data File : VW010958.D
 Acq On : 25 Jun 2019 09:46
 Operator : SY/VA
 Sample : VW0625SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK26

Quant Time: Jun 26 03:03:47 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062419S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 26 02:56:20 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	401905	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	359547	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	169101	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	125925	24.17	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.68%
7) Chloroethane-d5	2.89	69	91443	22.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.08%
10) 1,1-Dichloroethene-d2	4.01	63	215665	17.52	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.08%
20) 2-Butanone-d5	7.07	46	115494	47.21	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.42%
24) Chloroform-d	7.64	84	250730	23.13	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.52%
26) 1,2-Dichloroethane-d4	8.31	65	162350	24.16	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.64%
29) Benzene-d6	8.27	84	528349	24.48	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	97.92%
33) 1,2-Dichloropropane-d6	9.27	67	170724	23.94	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.76%
37) Toluene-d8	10.32	98	469544	24.11	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.44%
38) trans-1,3-Dichloropropene-	10.58	79	69271	21.94	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.76%
39) 2-Hexanone-d5	10.93	63	73690	45.97	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.94%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	138632	23.58	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.32%
61) 1,2-Dichlorobenzene-d4	13.85	152	155883	24.42	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.68%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW062519\
Data File : VW010958.D
Acq On : 25 Jun 2019 09:46
Operator : SY/VA
Sample : VW0625SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK26

Quant Time: Jun 26 03:03:47 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062419S.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 26 02:56:20 2019
Response via : Initial Calibration

