

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW062520\
 Data File : VW015734.D
 Acq On : 25 Jun 2020 17:35
 Operator : SY/VA
 Sample : L3126-10
 Misc : 5.59G/5ML/MSVOA W/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 TP-4-S2

Quant Time: Jun 26 03:37:20 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W062320S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 23 13:20:19 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	159531	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	267356	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	242689	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	107419	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	98722	55.62	ug/l	0.00
Spiked Amount	50.000		Recovery	=	111.24%	
35) Dibromofluoromethane	7.88	113	83444	49.62	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.24%	
50) Toluene-d8	10.32	98	329556	49.79	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.58%	
62) 4-Bromofluorobenzene	12.62	95	110460	45.32	ug/l	0.00
Spiked Amount	50.000		Recovery	=	90.64%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW062520\
Data File : VW015734.D
Acq On : 25 Jun 2020 17:35
Operator : SY/VA
Sample : L3126-10
Misc : 5.59G/5ML/MSVOA W/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
TP-4-S2

Quant Time: Jun 26 03:37:20 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W062320S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 23 13:20:19 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 992

Delta R.T. 0.00 min

Lab File: VW015734.D

Acq: 25 Jun 2020 17:35

Instrument :

MSVOA_W

ClientSampleId :


TP-4-S2

Tot Ion:168 Resp: 159531

Ion Ratio Lower Upper

168 100

99 58.5 48.6 73.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

80000

60000



40000

20000

0

7.90 8.00

Time-->



#33

1,2-Dichloroethane-d4

Concen: 55.618 ug/l

RT: 8.31 min Scan# 1050

Delta R.T. -0.01 min

Lab File: VW015734.D


Acq: 25 Jun 2020 17:35

Tgt Ion: 65 Resp: 98722

Ion Ratio Lower Upper

65 100

67 50.1 0.0 102.2



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW

8.31

50000

40000

30000


20000


10000

0

8.20 8.30 8.40

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. -0.01 min
 Lab File: VW015734.D
 Acq: 25 Jun 2020 17:35

Instrument :
 MSVOA_W
 ClientSampleId :
 TP-4-S2

Tot Ion:114 Resp: 267356
 Ion Ratio Lower Upper
 114 100
 63 21.9 0.0 42.4
 88 15.0 0.0 32.6




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VW
 Ion 87.90 (87.60 to 88.60): VW






#35
 Dibromofluoromethane
 Concen: 49.617 ug/l
 RT: 7.88 min Scan# 981
 Delta R.T. 0.00 min
 Lab File: VW015734.D
 Acq: 25 Jun 2020 17:35

Tgt Ion:113 Resp: 83444
 Ion Ratio Lower Upper
 113 100
 111 102.3 82.3 123.5
 192 19.4 16.4 24.6



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 49.794 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. -0.01 min

Lab File: VW015734.D

Acq: 25 Jun 2020 17:35

Instrument :

MSVOA_W

ClientSampleId :


TP-4-S2

Tot Ion: 98 Resp: 329556

Ion Ratio Lower Upper

98 100

100 65.0 52.8 79.2



Abundance Ion 98.00 (97.70 to 98.70): VW

Ion 100.00 (99.70 to 100.70): VW

10.32

200000



150000

100000

50000

0

Time--> 10.20 10.30 10.40



#62

4-Bromofluorobenzene

Concen: 45.319 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. 0.00 min

Lab File: VW015734.D

Acq: 25 Jun 2020 17:35


Tgt Ion: 95 Resp: 110460

Ion Ratio Lower Upper

95 100

174 78.3 0.0 157.0

176 76.2 0.0 151.4



Abundance Ion 94.90 (94.60 to 95.60): VW

Ion 173.80 (173.50 to 174.50): VW

Ion 175.80 (175.50 to 176.50): VW

12.62

80000


60000


40000

20000

0

Time--> 12.50 12.60 12.70









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. 0.00 min
Lab File: VW015734.D
Acq: 25 Jun 2020 17:35

Instrument :
MSVOA_W
ClientSampleId :
TP-4-S2

Tot Ion:117 Resp: 242689
Ion Ratio Lower Upper
117 100
82 55.9 45.1 67.7
119 32.1 25.8 38.8




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.56 min Scan# 1912
Delta R.T. 0.00 min
Lab File: VW015734.D
Acq: 25 Jun 2020 17:35

Tgt Ion:152 Resp: 107419
Ion Ratio Lower Upper
152 100
115 59.1 30.1 90.5
150 153.8 0.0 345.6



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

