

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW062618\
 Data File : VW003570.D
 Acq On : 26 Jun 2018 11:07
 Operator : SY/AP
 Sample : J3569-23
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Manual Integrations
 APPROVED

MMDadoda
 6/28/2018 3:08:06 PM

Quant Time: Jun 27 01:42:52 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 27 01:37:29 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	309941	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	295058	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	139906	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	81395	19.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.44%
7) Chloroethane-d5	2.89	69	70881	20.21	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.84%
10) 1,1-Dichloroethene-d2	4.00	63	131923	15.81	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.24%
20) 2-Butanone-d5	7.09	46	76707m	57.91	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	115.82%
24) Chloroform-d	7.65	84	185567	22.76	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.04%
26) 1,2-Dichloroethane-d4	8.31	65	116710	24.09	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.36%
29) Benzene-d6	8.28	84	342736	21.89	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	87.56%
33) 1,2-Dichloropropane-d6	9.28	67	113690	22.94	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.76%
37) Toluene-d8	10.33	98	315339	21.07	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	84.28%
38) trans-1,3-Dichloropropene-	10.59	79	48700	20.93	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.72%
39) 2-Hexanone-d5	10.93	63	53803	53.12	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	106.24%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	114697	24.88	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	99.52%
61) 1,2-Dichlorobenzene-d4	13.87	152	124465	23.55	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.20%

Target Compounds					Ovalue
16) Methylene chloride	4.90	84	10597	2.48 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW062618\
Data File : VW003570.D
Acq On : 26 Jun 2018 11:07
Operator : SY/AP
Sample : J3569-23
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Manual Integrations
APPROVED

MMDadoda
6/28/2018 3:08:06 PM

Quant Time: Jun 27 01:42:52 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 27 01:37:29 2018
Response via : Initial Calibration

